

Distr. GENERAL

ST/SG/AC.10/C.3/2004/73 24 May 2004

ENGLISH ORIGINAL : ENGLISH and FRENCH

# COMMITTEE OF EXPERTS ON THE TRANSPORT OF DANGEROUS GOODS AND ON THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS

Sub-Committee of Experts on the Transport of Dangerous Goods

Twenty-fifth session, 5-14 July 2004 Item 7 of the provisional agenda

## MISCELLANEOUS PROPOSALS OF AMENDMENTS TO THE MODEL REGULATIONS ON THE TRANSPORT OF DANGEROUS GOODS

### Infectious Substances

Transmitted by the International Civil Aviation Organization (ICAO)

### Background

1. At the 19th meeting of the ICAO Dangerous Goods Panel, the requirements for transporting infectious substances, as contained in the 13th Edition of the UN Model Regulations, were considered for incorporation into the 2005-2006 edition of the *Technical Instructions for the Safe Transport of Dangerous Goods by Air*. A number of revisions to P650 were agreed and were submitted as an information paper to the 24th session of the TDG Sub-Committee (UN/SCETDG/24/INF.51). This paper presents proposed amendments to P650 as contained in Inf.51 together with a number of additional issues. Amendments specific to air transport are also presented as information.

### Proposals

2. In section (2) of P650, it is proposed to amend paragraph (c) to require a **rigid** outer packaging. It is suggested that such packaging would provide additional protection for primary receptacles from crushing or puncturing during transport. It was noted by the panel that rigid outer packaging was already in common use and that the majority of incidents that had occurred had been with non-rigid packaging.

3. In section (4) of P650, it is proposed to specify **the mark be displayed in a diamond-shape and that each side must have a length of at least 50 mm**. The panel believed that the size of the mark, consistent with the smallest dimension allowed for the Division 6.2 label for Category A substances, was needed to be specified to ensure visibility. 4. In section (4) of P650, it is proposed that **the shipping name "Diagnostic specimen" or "Clinical specimen" be displayed on the package adjacent to the diamond-shaped mark.** The panel believed that since a transport document is not required for UN3373, the shipping name on the package would provide additional useful information, noting that the diamond-shaped mark would otherwise be the only means of hazard communication.

5. It is proposed to require that **at least one surface of the outer packaging must have a minimum dimension of 100 mm x 100 mm** and that this requirement be contained in a new section (5). The panel felt that a minimum package size is necessary to ensure safe handling in sorting facilities and to prevent damage during handling.

6. In the section re-numbered (7), the panel agreed, in paragraph (a), to add a quantity limit for primary receptacles of 1 litre and to add a new paragraph (f) to add a quantity limit for the outer package of 4 litres. The quantity for the outer package excludes ice, dry ice or liquid nitrogen when these are used to keep specimens cold. The panel felt that quantity limits in the 2003-2004 edition of the Technical Instructions should be maintained for air transport.

7. In the section re-numbered (8), it is proposed to add a new paragraph (e) to provide guidance for **solids where liquids are absorbed** and where there is any doubt that residual liquid may be present during transport.

In addition, the panel agreed in paragraph (a) to add a direction that the quantity in the primary receptacle must not exceed the outer packaging mass limit and to add a new paragraph (d) limiting the quantity in an outer package to 4 kg. It was noted by the panel that no specific inner packaging limit was required since solid substances were unlikely to escape from the packagings. The outer packaging quantity limit does not include packages containing body parts, organs or whole bodies and, in addition, excludes ice, dry ice or liquid nitrogen when these are used to keep specimens cold. The panel felt that these quantity limits are necessary to ensure safe transport by air.

8. In the section re-numbered (9), the panel agreed to delete the requirement for marking dry ice since this requirement is handled both in the first sentence of paragraph (a) and elsewhere in the Technical Instructions. The panel noted the text relating to the design and construction of packagings to prevent a dangerous release of carbon dioxide was valuable and should be retained.

9. It is proposed to require that **overpacks be marked** when a packages are in an overpack and the marking on them cannot be seen; it is suggested this requirement be in a new section (10) and to renumber the existing section (10) as section (12).

- 10. In section (11), it is proposed to add a new subsection
  - to require the proper shipping name, the UN number and the name, address and telephone number of a responsible person to be provided on an alternate document or as a marking on the package.

In addition, the panel added four other subsections specific to air transport:

- to require classification of infectious substances to be done in accordance with the appropriate section of the Technical Instructions;
- to require incident reporting;
- to require inspection for damage or leakage ;

- to prohibit Category B infectious substances from being transported by passengers or crew in carry-on or checked luggage or on their person.

The panel felt that these requirements were required to ensure the safe transport of Category B substances by air.

11. It is proposed to add a new section (13) to provide guidance to shippers and carriers when small quantities of other dangerous goods are packed in the same primary receptacle containing Category B infectious substances. It was noted that packages containing infectious substances sometimes contained small quantities of other dangerous goods which were used to stabilize or to prevent degradation of the specimen, and that guidance should be given.

#### Additional points of interest

12. The panel noted no information is given concerning an acceptable means of packaging exceptional consignments (such as whole organs referred to in P620). The Sub-Committee is requested to consider this matter.

13. The panel noted a problem relating to substances falling under Category B with the proper shipping name "Diagnostic specimen". Many substances which might reasonably be called diagnostic specimens in the normal usage of these words would not in fact be dangerous goods of Division 6.2 and would therefore be not subject to the provisions of the Technical Instructions. It was noted the new classification provisions contained in paragraph 2.6.3.2.5 listed several substances which would not be included in Category B, which was helpful, but that most of these exceptions should not be considered as dangerous goods in the first place. The Sub-Committee is requested to provide clarification, especially regarding the exceptions contained in 2.6.3.2.5.

14. The Sub-Committee is requested to consider adding a further exception to cover dry blood spots. These are blood specimens drawn from healthy patients (typically infants) for routine test and screening purposes. The blood is allowed to saturate paper and then dry completely. The specimens pose an extremely minimal risk of infection and it is considered that they do not need to meet the requirements of Division 6.2.

**Editorial note: -** Proposed amendments are indicated in bold and underline; amendments to the Technical Instructions are shown in underline and are presented for information .

P650	Packing Instruction P650				
This packing instruction applies to UN 3373					
(1)	The packaging must be of good quality, strong enough to withstand the shocks and loadings normally encountered during transport, including transhipment between transport units and between transport units and warehouses as well as any removal from a pallet or overpack for subsequent manual or mechanical handling. Packagings must be constructed and closed to prevent any loss of content that might be caused under normal conditions of transport by vibration or by changes in temperature, humidity or pressure.				
(2)	<ul> <li>The packaging must consist of three components:</li> <li>(a) a primary receptacle;</li> <li>(b) a secondary packaging; and</li> <li>(c) <u>a rigid</u> outer packaging.</li> </ul>				
(3)	Primary receptacles must be packed in secondary packagings in such a way that, under normal conditions of transport, they cannot break, be punctured or leak their contents into the secondary packaging. Secondary packagings must be secured in outer packagings with suitable cushioning material. Any leakage of the contents must not compromise the integrity of the cushioning material or of the outer packaging.				
(4)	For transport, the mark illustrated below must be displayed on the external surface of the outer packaging on a background of a contrasting colour and must be clearly visible and legible. The mark must be in the form of a square set at an angle of 45° (diamond-shaped) with each side have a length of at least 50 mm, the width of the line shall be at least 2 mm and the letters and numbers shall be at least 6 mm high. The proper shipping name "Diagnostic specimen" or "Clinical specimen" in letters at least 6mm high must be marked on the outer package adjacent to the diamond-shaped mark.				
<u>(5)</u>	<u>At least one surface of the outer packaging must have a minimum dimension of 100 mm x 100mm.</u>				

(6) The completed package must be capable of successfully passing the drop test in 6;6.2. as specified in 6;6.1.5 of the Instructions except that the height of the drop must not be less than 1.2 m.

P650		Packing Instruction Pe	650		
(7)	For liquid substances				
	(a)	The primary receptacle(s) must be leakproof and must not contain more than 1 litre;	L		
	(b)	The secondary packaging must be leakproof;			
	(c)	If multiple fragile primary receptacles are placed in a single secondary packaging, the must be either individually wrapped or separated to prevent contact between them;	ney		
	(d)	Absorbent material must be placed between the primary receptacle(s) and secondary packaging. The absorbent material must be in quantity sufficient to absorbent the entire contents of the primary receptacle(s) so that any release of the liquid substances will not compromise the integrity of the cushioning material or of the outpackaging;	the orb uid iter		
	(e)	The primary receptacle or the secondary packaging must be capable of withstandi without leakage, an internal pressure of 95 kPa (0.95 bar);	ng,		
	<u>(f)</u>	The outer package must not contain more than 4 litres. This quantity excludes ice, or ice, or liquid nitrogen when used to keep specimens cold.	<u>dry</u>		
(8)	For solid substances:				
	(a)	The primary receptacle(s) must be siftproof and must not exceed the outer packag mass limit;	ing		
	(b)	The secondary packaging must be siftproof;			
	(c)	If multiple fragile primary receptacles are placed in a single secondary packaging, the must be either individually wrapped or separated to prevent contact between them;	ney		
	<u>(d)</u>	Except for packages containing body parts, organs or whole bodies, the outer packar must not contain more than 4 kg. This quantity excludes ice, dry ice or liquid nitrog when used to keep specimens cold;	<u>age</u> gen		
	<u>(e)</u>	If there is any doubt as to whether or not residual liquid may be present in a primary receptacle during transport then a packaging suitable for liqui including absorbent materials, must be used.	<u>the</u> ds,		
<u>(9)</u>	(9) Refrigerated or frozen specimens: Ice, Dry ice and liquid nitrogen				
	(a)	When dry ice or liquid nitrogen is used to keep specimens cold, all applica requirements of these Regulations shall be met. When used, ice or dry ice shall placed outside the secondary packagings or in the outside packaging or an overpa Interior supports shall be provided to secure the secondary packagings in the origi position after the ice or dry ice has dissipated. If ice is used, the outside packaging overpack shall be leakproof. If Carbon dioxide, solid (dry ice) is used, the packag shall be designed and constructed to permit the release of carbon dioxide gas prevent a build-up of pressure that could rupture the packagings. and shall be mark "Carbon dioxide, solid" or "Dry ice".	ble be ck. nal g or ing to <del>ked</del>		
	(b)	The primary receptacle and the secondary packaging shall maintain their integrity the temperature of the refrigerant used as well as the temperatures and the pressu that could result if refrigeration were lost.	7 at res		

P650		Packing Instruction	P650			
<u>(10)</u>	<u>When</u> instru	packages are placed in an overpack, the package markings required by this p ction must either be clearly visible or be reproduced on the outside of the ove	acking pack.			
<u>(11)</u>	Infectious substances assigned to UN 3373 which are packed and marked in accordance v this packing instruction are not subject to any other requirement in these Instructions <b>except</b> the following:					
	<u>(i)</u>	the proper shipping name, UN number and the name, address and tele	<u>ephone</u>			
		number of a responsible person must be provided on a written document (s	such as			
	<i></i>	an air waybill) or on the package;				
	<u>(11)</u>	classification must be done in accordance with 2;6.3.2;				
	<u>(111)</u>	the incident reporting requirements in 7;4.4 must be met;				
	<u>(iv)</u>	the inspection for damage or leakage requirements in 7;3.1.3 and 7;3.1.4; and				
	<u>(v)</u>	passengers and crew members are prohibited from transporting infectious sub either as or in carry-on baggage or checked baggage or on their person.	stances			
<u>(12)</u>	Clear manufa packag	instructions on filling and closing such packages must be provided by pac acturers and subsequent distributors to the consignor or to the person who prepa- ge (e.g. patient) to enable the package to be correctly prepared for transport.	kaging tres the			
(13)	Other	dangerous goods must not be packed in the same packaging as Divisi	on 6.2			
	Infectious Substances unless they are necessary for maintaining the viability, stablizing or					
	preventing degradation or neutralizing the hazards of the infectious substances A					
	quantity of 30 ml or less of dangerous goods included in Classes 3, 8 or 9 may be packed in					
	each primary receptacle containing infectious substances. When these small quantities of					
	<u>dange</u> instru	rous goods are packed with infectious substances in accordance with this p ation no other requirements in these Instructions need to mot	acking			
	<u>msu u</u>	cuon no otner requirements in these first actions need be met.				