Informal document No. **GRE-58-17** (58<sup>th</sup> GRE, 1-5 October 2007, agenda item 5 f)

Transmitted by the expert from India

# INDIA'S COMMENTS ON THE PROPOSAL FOR DRAFT AMENDMENTS SUGGESTED VIDE DOCUMENT ECE/TRANS/WP.29/GRE/2007/54

The suggested modification of the current text of the Regulation is marked in **bold** characters.

#### A.1. PROPOSAL

PROPOSAL TO AMEND REGULATION No. 4 – (Rear registration plate lamp) (The following text is based upon Supplement 12 to the Regulation)

Paragraphs 5.5. to 5.5.2., amend to read:

- "5.5. In the case of light source modules, it shall be checked that:
- 5.5.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position than the designated and correct one and can only be removed with the use of tool(s);
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics can not be interchanged within the same lamp housing.
- 5.5.2. The light source module(s) shall be tamperproof."

#### A.2. PROPOSAL

PROPOSAL TO AMEND REGULATION No. 6 – (Direction indicators) (The following text is based upon Supplement 15 to the 01 series of amendments)

Paragraph 5.3. to 5.3.2., amend to read:

- "5.3. In the case of light source modules, it shall be checked that:
- 5.3.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position than the designated and correct one and can only be removed with the use of tool(s);
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics can not be interchanged within the same lamp housing.
- 5.3.2. The light source module(s) shall be tamperproof."

### ARAI

#### A.3. PROPOSAL

PROPOSAL TO AMEND REGULATION No. 7 - (Front and rear position lamps, stop-lamps and end-outline marker lamps).

(The following text is based upon Supplement 12 to the 02 series of amendments)

#### Paragraphs 5.6. to 5.6.2., amend to read:

- "5.6. In the case of light source modules, it shall be checked that:
- 5.6.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position than the designated and correct one and can only be removed with the use of tool(s);
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics, can not be interchanged within the same lamp housing.
- 5.6.2. The light source module(s) shall be tamperproof."

#### A.4. PROPOSAL

PROPOSAL TO AMEND REGULATION No. 23 – (Reversing lamps) (The following text is based upon Supplement 13 to the Regulation) Paragraphs 5.3. and 5.3.2., amend to read:

- "5.3. In the case of light source modules, it shall be checked that:
- 5.3.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position that the designated and correct one and can only be removed with the use of tool(s);
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics can not be interchanged within the same lamp housing.
- 5.3.2. The light source module(s) shall be tamperproof."

#### A.5. PROPOSAL

PROPOSAL TO AMEND REGULATION No. 38 – (Rear fog lamps) (The following text is based upon Supplement 12 to the Regulation)

#### Paragraphs 5.3. to 5.3.2., amend to read:

- "5.3. In the case of light source modules, it shall be checked that:
- 5.3.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position than the designated and correct one and can only be removed with the use of tool(s);
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics can not be interchanged within the same lamp housing.
- 5.3.2. The light source module(s) shall be tamperproof."

## ARAI

#### A.6. PROPOSAL

PROPOSAL TO AMEND ECE REGULATION No. 50 – (Position, stop and direction indicator lamps for mopeds and motorcycles).

(The following text is based upon Supplement 10 to the Regulation)

Paragraphs 6.3, to 6.3.2., amend to read:

- "6.3. In the case of light source modules, it shall be checked that:
- 6.3.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position than the designated and correct one and can only be removed with the use of tool(s);
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics can not be interchanged within the same lamp housing.
- 6.3.2. The light source module(s) shall be tamperproof."

#### A.7. PROPOSAL

PROPOSAL To AMEND REGULATION No. 77 – (Parking lamps) (The following text is based upon Supplement 10 to the Regulation)

Paragraphs 6.3. to 6.3.2., amend to read:

- "6.3. In the case of light source modules, it shall be checked that:
- 6.3.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position than the designated and correct one and can only be removed with the use of tool(s):
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics can not be interchanged within the same lamp housing.
- 6.3.2. The light source module(s) shall be tamperproof."

#### A.8. PROPOSAL

PROPOSAL TO AMEND REGULATION No. 87 – (Daytime running lamps) (The following text is based upon Supplement 10 to the Regulation)

Paragraphs 6.3. to 6.3.2., amend to read:

- "6.3. In the case of light source modules, it shall be checked that:
- 6.3.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position than the designated and correct one and can only be removed with the use of tool(s);
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics can not be interchanged within the same lamp housing.
- 6.3.2. The light source module(s) shall be tamperproof."

### APAI

#### A.9. PROPOSAL

PROPOSAL TO AMEND REGULATION No. 91 – (Side marker lamps) (The following text is based upon Supplement 9 to the Regulation)

#### Paragraphs 6.3. to 6.3.2., amend to read:

- "6.3. In the case of light source modules, it shall be checked that:
- 6.3.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position than the designated and correct one and can only be removed with the use of tool(s);
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics can not be interchanged within the same lamp housing.
- 6.3.2. The light source module(s) shall be tamperproof."

#### A.10. PROPOSAL

- (

PROPOSAL TO AMEND REGULATION No. 119 – (Cornering lamps) (The following text is based upon Supplement 1 to the Regulation)

#### Paragraphs 5.3. to 5.3.2., amend to read:

- "5.3. In the case of light source modules, it shall be checked that:
- 5.3.1. The design of the light source module(s) shall be such as:
  - (a) that each light source module can only be fitted in no other position than the designated and correct one and can only be removed with the use of tool(s);
  - (b) If there are more than one light source module used in the housing for a device, light source modules having different characteristics can not be interchanged within the same lamp housing.
- 5.3.2. The light source module(s) shall be tamperproof."

#### B.1 JUSTIFICATION FOR PROPOSALS A1 TO A5 and A10.

India welcomes the proposal made by GTB. The above modification is required for better clarity