



**Economic and Social
Council**

Distr.
GENERAL

ECE/TRANS/WP.29/2010/32
18 December 2009

Original: ENGLISH

ECONOMIC COMMISSION FOR EUROPE

INLAND TRANSPORT COMMITTEE

World Forum for Harmonization of Vehicle Regulations

One-hundred-and-fiftieth session
Geneva, 9-12 March 2010
Item 4.2.38 of the provisional agenda

1958 AGREEMENT

Consideration of draft amendments to existing Regulations

Proposal for Corrigendum 3 to Supplement 8 to Regulation No. 112
(Headlamps emitting an asymmetrical passing beam)

Submitted by the Working Party on Lighting and Light-Signalling */

The text reproduced below was adopted by the Working Party on Lighting and Light-Signalling (GRE) at its sixty-second session. It is based on ECE/TRANS/WP.29/GRE/2009/43, not amended. It is submitted to the World Forum for Harmonization of Vehicle Regulations (WP.29) and to the Administrative Committee (AC.1) for consideration (ECE/TRANS/WP.29/GRE/62, para. 30).

*/ In accordance with the programme of work of the Inland Transport Committee for 2006-2010 (ECE/TRANS/166/Add.1, programme activity 02.4), the World Forum will develop, harmonize and update Regulations in order to enhance performance of vehicles. The present document is submitted in conformity with that mandate.

Paragraph 3.3., amend to read:

"3.3. Headlamps equipped with passing beam designed to satisfy the requirements both of right-hand and of left-hand traffic shall bear markings indicating the two settings of the optical unit or LED module on the vehicle or ...position for left-hand traffic."

Annex 1.

Item 9., amend to read:

"9. Brief description:

Category as described by the relevant marking: 3/

.....
.....

Number and category(s) of filament lamp(s):

.....
.....

Measures according to paragraph 5.8. of this Regulation:

Number and specific identification code(s) of LED module(s)

Number and specific identification code(s) of electronic light source control gear(s)

Total objective luminous flux as described in paragraph 5.9. exceeds 2,000 lumen:
yes/no/does not apply 2/

The adjustment of the cut-off has been determined at: 10 m/25 m/does not apply 2/

The determination of the minimum sharpness of the "cut-off" has been carried out at:
10 m/25 m/does not apply 2."

- - - - -