



## Economic and Social Council

Distr.: General  
16 August 2013

Original: English

---

### Economic Commission for Europe

#### Inland Transport Committee

#### World Forum for Harmonization of Vehicle Regulations

##### 161<sup>st</sup> session

Geneva, 12-15 November 2013

Item 4.6.17 of the provisional agenda

##### **1958 Agreement – Consideration of draft amendments to existing Regulations submitted by GRE**

### **Proposal for Supplement 9 to Regulation No. 65 (Special warning lamps)**

#### **Submitted by the Working Party on Light and Light-signalling\***

The text reproduced below was adopted by the Working Party on Light and Light-signalling (GRE) at its sixty-ninth session (ECE/TRANS/WP.29/GRE/69, para. 20). It is based on ECE/TRANS/WP.29/GRE/2013/28 not amended. It is submitted to the World Forum for Harmonization of Vehicle Regulations (WP.29) and to the Administrative Committee AC.1 for consideration.

---

\* In accordance with the programme of work of the Inland Transport Committee for 2010–2014 (ECE/TRANS/208, para. 106 and ECE/TRANS/2010/8, programme activity 02.4), the World Forum will develop, harmonize and update regulations in order to enhance the performance of vehicles. The present document is submitted in conformity with that mandate.

*Paragraph 9.1., amend to read:*

- "9.1. Special warning lamps shall be so manufactured as to conform to the type approved under this Regulation.
- The compliance with the requirements set forth in paragraphs 6. and 7. above shall be verified as follows:
- 9.1.1. The minimum requirements for Conformity of Production (CoP) control procedures set forth in Annex 7 to this Regulation shall be complied with.
- 9.1.2. The minimum requirements for sampling by an inspector set forth in Annex 8 to this Regulation shall be complied with."

*Annex 8, paragraphs 2. to 6., amend to read:*

- "2. First sampling
- In the first sampling four special warning lamps are selected at random. The first sample of two is marked A, the second sample of two is marked B.
- 2.1. The conformity of mass-produced special warning lamps shall not be contested if the deviation of any specimen of samples A and B (all four lamps) is not more than 20 per cent.
- In the case, that the deviation of both lamps of sample A is not more than 0 per cent, the measurement can be closed.
- 2.2. The conformity of mass-produced special warning lamps shall be contested if the deviation of at least one specimen of samples A or B is more than 20 per cent.
- The manufacturer shall be requested to bring his production in line with the requirements (alignment) and a repeated sampling according to paragraph 3. below shall be carried out within two months' time after the notification. The samples A and B shall be retained by the Technical Service until the entire CoP process is finished.
3. First repeated sampling
- A sample of four lamps is selected at random from stock manufactured after alignment.
- The first sample of two is marked C, the second sample of two is marked D.
- 3.1. The conformity of mass-produced special warning lamps shall not be contested if the deviation of any specimen of samples C and D (all four lamps) is not more than 20 per cent.
- In the case, that the deviation of both lamps of sample C is not more than 0 per cent, the measurement can be closed.
- 3.2. The conformity of mass-produced special warning lamps shall be contested if the deviation of at least:
- 3.2.1. One specimen of samples C or D is more than 20 per cent but the deviation of all specimen of these samples is not more than 30 per cent.
- The manufacturer shall be requested again to bring his production in line with the requirements (alignment).
- A second repeated sampling according to paragraph 4. below shall be carried out within two months' time after the notification. The samples C and D shall be retained by the Technical Service until the entire CoP process is finished.

- 3.2.2. One specimen of samples C and D is more than 30 per cent.  
In this case the approval shall be withdrawn and paragraph 5. below shall be applied.
4. Second repeated sampling  
A sample of four lamps is selected at random from stock manufactured after alignment.  
The first sample of two is marked E, the second sample of two is marked F.
- 4.1. The conformity of mass-produced special warning lamps shall not be contested if the deviation of any specimen of samples E and F (all four lamps) is not more than 20 per cent  
In the case, that the deviation of both lamps of sample E is not more than 0 per cent, the measurement can be closed.
- 4.2. The conformity of mass-produced special warning lamps shall be contested if the deviation of at least one specimen of samples E or F is more than 20 per cent.  
In this case the approval shall be withdrawn and paragraph 5. below shall be applied.
5. Approval withdrawn  
Approval shall be withdrawn according to paragraph 10. of this Regulation.
6. Rain test  
One of the special warning lamps of sample A after sampling procedure in paragraph 2. of this Annex shall be tested according to the procedure described in Annex 4 of this Regulation.  
The special warning lamp shall be considered as acceptable if the test has passed.  
However, if the test on sample A is not complied with, the two special warning lamps of sample B shall be subjected to the same procedure and both shall pass the test."

*Figure 1*, shall be deleted.

---