

## **Proposal for Corrigendum 1 to Supplement 1 to the 07 series of amendments to UN Regulation No. 16 (Safety-belts)**

### **Note by the secretariat**

- I. The text reproduced below is amending ECE/TRANS/WP.29/GRSP/2017/22 prepared by the expert from the Netherlands to correct typos. The modifications to the existing text of the UN Regulation are marked in bold for new or strikethrough for deleted characters.

## **II. Proposal**

*Paragraph 6.4.1.4.1.1.*, correct to read:

"6.4.1.4.1.1. In the case of the driver, contact of the chest with the steering assembly would be allowed, if the latter meets the requirements of Regulation No. 12 and provided contact does not occur at a speed higher than 24 km/h. For this assessment the seat shall be considered to be in ~~one of~~ the positions specified in paragraph 7.7.1.5. below."

*Paragraph 8.3.6.*, correct to read:

"8.3.6. Any i-Size seating position shall allow the installation of the ISOFIX child restraint fixture "ISO/F2X", "ISO/R2", and the support leg installation assessment volume as defined in Appendix 2 of Annex 17, as well as the booster seat fixture "ISO/B2" as defined in Appendix 5 of Annex 17, without the ISOFIX attachments (see detail B). It shall be possible to occupy all adjacent i-Size seating positions simultaneously. This is deemed to be demonstrated when the vertical median planes of individual adjacent positions are at least 440 mm apart.

..."

*Annex 17,*

*Paragraph 1.2.*, correct to read:

"1.2. A child restraint system of the universal category means a child restraint approved to the "universal" category of UN Regulation No. 44, Supplement 5 to 03 series of amendments (or subsequent amendments). Seating positions, which are indicated by the vehicle manufacturer as being suitable for the installation of child restraints systems of the universal category shall comply with the provisions of Appendix 1 ~~and Appendix 5~~ to this annex."

*Appendix 2, paragraph 3.1.*, amend to read:

"3.1. It has to be possible to accommodate the CRF(s), with or without i-Size support leg installation assessment volume, without interference with the vehicle interior. The CRF base shall have a pitch angle of  $15^\circ \pm 10^\circ$ , above the horizontal plane passing through the ISOFIX anchorages system. ISOFIX attachments, according to detail Y of figures 1 to ~~98~~..."

***Appendix 2, paragraph 3.3., amend to read:***

"3.3. Should the above requirements not be met .... These alternative positions shall be described in the vehicle handbook and with the additional information specified in ~~table 2 and/or 3 given in Appendix 3~~ to this annex. ..."

Appendix 3, Table 1, correct to read:

## "Annex 17 – Appendix 3

...

Seat position number	Seating position								
	1	2	3	4	5	6	7	8	9
Seating position suitable for universal belted (yes/ no)									
i-Size seating position (yes/ no)									
Seating position suitable for lateral fixture (L1/ L2)									
Largest suitable rearward facing fixture (R1/ R2X/ R2/ R3)									
Largest suitable forward facing fixture ( <del>F1</del> / F2X /F2/ F3)									
Largest suitable booster fixture (B2/B3)									

"

Annex 17, Appendix 5, the title, correct to read:

## "Annex 17 – Appendix 5

### **Provisions concerning the installation of forward-facing booster seat child restraint systems of universal i-Size and specific categories installed on vehicle seating positions or i-Size seating positions"**

#### **II. Justification**

1. Delete of "one of" the positions
2. Paragraph 8.3.6. dots at the end of the paragraph, indicating that the remaining previous text shall be kept, were omitted.
3. Corrigendum of paragraph 1.2: Deletes "and Appendix 5" to align with the text of Supplement 9 to the 06 series of amendments to UN Regulation No. 16.
4. figures 1 to 8, not 1 to 9
5. Corrigendum of Table 1: Deletes "F1" in the table, as this fixture is part of corresponding ISO Standard but not in UN Regulation No. 16.
6. Appendix 5: Replaces "universal" by "i-size" in the title of Appendix 5, as UN Regulation No. 129 booster seats can be only i-Size or specific.