

www.euroncap.com





























Euro NCAP's Test Campaign on Heavy Quadricycles





- L7e's are seen as a convenient, economical means of Transport
 - Road Legal
 - No driver license needed
 - Alternative to small city cars and motorcycles

No stringent safety tests apply



Informal document No. GRSP-56-29 Control of the Co

	Make and Model	Max Speed	Engine	Weight
RIAMUY 8	Renault Twizy	80 km/h	Electric	474 kg
ClubCar	ClubCar Villager 2+2 LSV	35 km/h	Electric	541 kg
TAXAN EXCORP	Tazzari Zero	100 km/h	Electric	542 kg
LIGIER	Ligier IXO JS Line	70 km/h	Petrol	465 kg



Safety Equipment No. GRSP-56-29 Safety Equipment No. GRSP-56-29 The string of the st

	Frontal			Side	
	Seatbelt		Airbag	Airbag	ESC
	Pretensioner	Load Limiter	Allbug	All bug	
ET NAMES					
CubCar					
TARLAN ELCONG					
Ligier					5



Frontal Impact

- FWDB
- 50 km/h
- HIII-50M dummy

- Side Impact
 - ECE R95 MDB
 - 50 km/h
 - ES-II dummy









Renault Twizy




Ligier IXO



Club Car Villager



Tazzari Zero











Frontal Impact

(6 points of 16)

- Stable structure
- Driver well restraint
- High neck forces

Side Impact

(7 points of 16)

- No side protection system
- Stable structure
- Head exposed outside of bodyshell











Frontal Impact

(4 points of 16)

- Generally stable structure, but deformed to the limit
- Battery intruded footwell area
- Belt snapped during test

Side Impact

(8 points of 16)

- No side protection system
- Generally stable structure
- Door on impact side opened during impact

Club Car Villager 29 (56th GRey 8-12-20. 2014, SV





Club Car Villager 29 (56th GRey 8-12 pp. 2914, SV

Frontal Impact

(2 points of 16)

- Structure collapsed
- Steering wheel intrusion >500mm
- High risk of fatal injury levels recorded

Side Impact


(9 points of 16)

No protection at all

Club Car

- Driver directly contacted the MDB
- Seat detached

Informal document No. GRSP-56-29 Ligier XOgend Schine





Informal document No. GRSP-56-29 Ligier XO^{9, 8-} 15-204 ne

Frontal Impact

(2 points of 16)

- Structure failed
- Fibreglass footwell area badly fractured
- D-loop detached from B-pillar
- High risk of fatal injury levels recorded

Side Impact

(8 points of 16)

- No side protection system
- Door detached during impact
- B-pillar snapped
- Seat detached





Safety levels of tested L7e's significantly lower than that of cars

- Restraint systems in Tazzari and Ligier failed dramatically
- The stable but stiff Twizy showed dangerously high dummy readings



Thank you!

www.euroncap.com

























LE GOUVERNEMENT DU GRAND-DUCHÉ DE LUXEMBOURG Ministère du Développement durable et des infrastructures





Copyright Statement No. GRSP-56-29 Copyright Statement No. GRSP-56-29

This work is the intellectual property of Euro NCAP. Permission is granted for this material to be shared for non-commercial, educational purposes, provided that this copyright statement appears on the reproduced materials and notice is given that the copying is by permission of Euro NCAP. To disseminate otherwise or to republish requires written **permission from Euro NCAP**. No rights can be derived from the contents of this presentation.