

7 November 2019

Agreement

Concerning the Adoption of Harmonized Technical United Nations Regulations for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these United Nations Regulations*

(Revision 3, including the amendments which entered into force on 14 September 2017)

Addendum 8 – UN Regulation No. 9

Revision 3 - Amendment 4

08 series of amendments – Date of entry into force: 15 October 2019

Noise of three-wheeled vehicles

This document is meant purely as documentation tool. The authentic and legal binding text is: ECE/TRANS/WP.29/2019/6.



UNITED NATIONS

* Former titles of the Agreement:

Agreement concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958 (original version); Agreement concerning the Adoption of Uniform Technical Prescriptions for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these Prescriptions, done at Geneva on 5 October 1995 (Revision 2).

08 series of amendments to UN Regulation No. 9 (Noise of three-wheeled vehicles)

Add new paragraphs 2.12. and 2.13. to read:

"2.12. "Power-to-mass ratio index" means the ratio of the rated maximum net power of the vehicle in W to the test mass in kg.

The symbol PMR denotes the power-to-mass ratio index.

2.13. "Idling speed" is the speed of the engine running in warm condition, the gear lever placed in neutral, and the clutch engaged.

The symbol n_{idle} denotes the idling speed expressed in min^{-1} ."

Add a new paragraph 6.3.4. and its subparagraphs to read:

"6.3.4. Additional sound emission provisions

6.3.4.1. The vehicle type to be approved shall meet the requirements of Annex 6 to this Regulation. If the vehicle has user selectable software programs or modes which affect the sound emission of the vehicle, all these modes shall be in compliance with the requirements in Annex 6. Testing shall be based on the worst case scenario.

6.3.4.2. In the application for type approval or for modification or extension of a type approval the manufacturer shall provide a statement in accordance with Annex 7 that the vehicle type to be approved complies with the requirements of paragraphs 6.3.4. of this Regulation.

6.3.4.3. The Type Approval Authority may carry out any test prescribed in this Regulation."

Paragraph 11.3., amend to read:

"11.3. Contracting Parties applying this UN Regulation shall not refuse to grant type approvals according to any preceding series of amendments to this UN Regulation or extensions thereof."

Paragraph 11.6., amend to read:

"11.6. Notwithstanding the transitional provisions above, Contracting Parties who start to apply this UN Regulation after the date of entry into force of the most recent series of amendments are not obliged to accept UN type- approvals which were granted in accordance with any of the preceding series of amendments to this UN Regulation."

Add new subparagraphs 11.9. - 11.13. to read:

"11.9. As from the official date of entry into force of the 08 series of amendments, no Contracting Party applying this UN Regulation shall refuse to grant or refuse to accept type approvals under this UN Regulation as amended by the 08 series of amendments.

11.10. As from 1 September following the entry into force of the 08 series of amendments + 12 months, Contracting Parties applying this UN Regulation shall not be obliged to accept UN type approvals to the preceding series of amendments, first issued after that date.

11.11. Until 1 September of (year of date in paragraph 11.10 above) + 36 months, Contracting Parties applying this UN Regulation shall accept UN type approvals to the preceding series of amendments, first issued before (date in paragraph 11.10 above).

11.12. As from 1 September of (year of date in paragraph 11.10 above) + 36 months, Contracting Parties applying this UN Regulation shall not be obliged to accept UN type approvals issued to the preceding series of amendments to this Regulation.

- 11.13. Notwithstanding paragraph 11.12., Contracting Parties applying this UN Regulation shall continue to accept UN type approvals issued according to the preceding series of amendments to this UN Regulation, for the vehicles/vehicle systems which are not affected by the changes introduced by the 08 series of amendments."

Annex 5,

Footnote 2, amend to read:

"² ISO 10844:2014"

Paragraph 4.3., amend to read:

"4.3. Volumetric macrotexture measurement

For the purpose of this standard, texture depth measurements shall be made on at least 10 positions evenly spaced along the wheel tracks of the test strip and the average value taken to compare with the specified minimum texture depth. For the description of the procedure see standard ISO 10844:2014."

Add *new annexes 6 and 7* to read:

"Annex 6

Additional Sound Emission Provisions (ASEP)

1. Scope
 - 1.1. This Annex applies to vehicles of category L₄ and L₅ with PMR >50.
 - 1.2. Vehicles with variable gear ratios or automatic transmission with non-lockable gear ratios are exempted from the requirements of this Annex, if the vehicle manufacturer provides technical documents to the Type Approval Authority showing, that the vehicle's engine speed at BB' does neither exceed $n_{BB'} + 0.05 * (n_{rated} - n_{idle})$ nor fall below $n_{BB'} - 0.05 * (n_{rated} - n_{idle})$ for any test condition inside the ASEP control range defined in paragraph 2.5. below, where $n_{BB'}$ is the average engine speed at BB' from the two valid acceleration tests according to paragraphs 2. and 3. of Annex 3.

n_{idle} shall be measured by the Technical Service in accordance with the requirements laid down in Annex 2 of UN GTR No. 15 (ECE/TRANS/180/Add.15/Amend.1) during the ASEP test, performed in accordance with paragraph 2 of this Annex, unless the manufacturer presents a test report or a Communication which mentions the value of n_{idle} , measured in accordance with the above mentioned requirements of UN GTR No. 15.
2. Additional sound emission requirements
 - 2.1. Measuring instruments

The requirements for the measurement equipment are identical to those defined in paragraph 1.1. of Annex 3 for the tests of the vehicle in motion.
 - 2.2. Acoustical environment, meteorological conditions and background noise

The requirements concerning the acoustical environment, the meteorological conditions and the background noise are identical to those defined in paragraph 2.1. of Annex 3 for the tests of the vehicle in motion.
 - 2.3. Microphone positions and conditions of the vehicle

The requirements concerning the conditions of the vehicle and the microphone positions are identical to those defined in paragraphs 2.2. and 3.1., respectively, of Annex 3 for the tests of the vehicle in motion.

- 2.4. General operating conditions
- The path of the centreline of the vehicle shall follow the line CC' as closely as possible throughout the entire test, from the approach to line AA' until the rear of the vehicle passes line BB' (see Annex 5 – Figure 1).
- In addition, the conditions of paragraph 3.1.2.1. of Annex 3 shall apply.
- 2.5. ASEP control range
- The requirements of this Annex apply to any vehicle operation with the following restrictions:
- (a) $v_{AA'}$ shall be at least 20 km/h
 - (b) $v_{BB'}$ shall not exceed 80 km/h
 - (c) $n_{AA'}$ shall be at least $0.1 * (n_{rated} - n_{idle}) + n_{idle}$,
 - (d) $n_{BB'}$ shall not exceed $n_{BB'_{max}}$,
 $n_{BB'_{max}}$ shall be determined by
 - (i) $0.85 * (n_{rated} - n_{idle}) + n_{idle}$ for $PMR \leq 66$ and
 $3.4 * PMR^{-0.33} * (n_{rated} - n_{idle}) + n_{idle}$ for $PMR > 66$, or
 - (ii) $1.3 * n_{BB'_{ref}}$,
whichever is higher, but shall not exceed n_{rated} . $n_{BB'_{ref}}$ is calculated in accordance to paragraph 3.3.1. of this Annex.
3. Testing compliance by measurements
- 3.1. General
- The Type Approval Authority as well as the Technical Service may request tests to check the compliance of the vehicle with the requirements of paragraph 2 above. To avoid undue work load testing is restricted to the reference points defined in paragraph 3.3 below and up to two additional operating conditions other than the reference points but inside the ASEP control range.
- 3.2. Test procedure
- The same test procedure as described in paragraph 3.1.2.1. of Annex 3 shall be applied.
- 3.3. ASEP test conditions
- 3.3.1. ASEP reference test
- 3.3.1.1. Test speed and gear selection
- The vehicle shall be tested at the operating conditions as described in paragraph 3.1.2.2. of Annex 3.
- 3.3.1.2. The sound level determination shall be performed as described in paragraph 3.1.3. of Annex 3. At least two measurements shall be made on each side of the vehicle.
- The final sound level result shall be calculated according to paragraph 3.1.4. of Annex 3.
- This value constitutes the reference level L_{ref} . The gear chosen for the test constitutes the reference gear g_{ref} .
- 3.3.1.3. The $n_{BB'}$ values of the measurements shall be averaged and rounded to the nearest integer.
- This value constitutes the reference engine speed $n_{BB'_{ref}}$.
- 3.3.2. ASEP test 1

- 3.3.2.1. Test speed and gear selection
- The selected gear shall be
- (a) g_{ref} OR $g_{ref} + 1$, if $g_{ref} = 2$,
- (b) $g_{ref} - 1$, g_{ref} OR $g_{ref} + 1$, if $g_{ref} > 2$
- The gear and $v_{AA'}$ shall be chosen in that way, so that the test condition complies with the control range specifications and that
- $$n_{BB'} \leq 0,85 * n_{BB'_{ref}}$$
- Pretests may be carried out in order to determine an appropriate measurement condition.
- 3.3.2.2. The sound level determination shall be performed as described in paragraph 3.1.3. of Annex 3. At least two measurements shall be made on each side of the vehicle.
- The final sound level result shall be calculated according to paragraph 3.1.4. of Annex 3.
- 3.3.2.3. Data processing and reporting
- The engine speed measurements at AA' and BB' shall be averaged arithmetically. The results in units of min^{-1} shall be mathematically rounded to the nearest integer. The $n_{BB'}$ value shall be used for the calculations specified in paragraph 4 of this Annex.
- The final sound pressure level for the full throttle acceleration shall not exceed the limits specified in paragraph 4 of this Annex.
- 3.3.3. ASEP test 2
- 3.3.3.1. Test speed and gear selection
- The selected gear shall be
- (a) g_{ref} OR $g_{ref} + 1$, if $g_{ref} = 2$,
- (b) $g_{ref} - 1$, g_{ref} OR $g_{ref} + 1$, if $g_{ref} > 2$
- The gear and $v_{AA'}$ shall be chosen in that way, so as the test condition complies with the control range specifications and that
- $$n_{BB'} \geq 1,15 * n_{BB'_{ref}}$$
- Pretests may be carried out in order to determine an appropriate measurement condition.
- 3.3.3.2. The sound level determination shall be performed as described in paragraph 3.1.3. of Annex 3. At least two measurements shall be made on each side of the vehicle.
- The final sound level result shall be calculated according to paragraph 3.1.4. of Annex 3.
- 3.3.3.3. Data processing and reporting
- The engine speed measurements at AA' and BB' shall be averaged arithmetically. The results in units of min^{-1} shall be mathematically rounded to the nearest integer. The $n_{BB'}$ value shall be used for the calculations specified in paragraph 4 of this Annex.
- The final sound pressure level for the full throttle acceleration shall not exceed the limits specified in paragraph 4 of this Annex.
4. ASEP limits
- The maximum noise level recorded during the passage of the vehicle through the test track shall not exceed:

$L_{ref} + (1 * (n_{BB'} - n_{BB'_{ref}}) / 1,000) + 3$ for $n_{BB'} < n_{BB'_{ref}}$ and

$L_{ref} + (5 * (n_{BB'} - n_{BB'_{ref}}) / 1,000) + 3$ for $n_{BB'} \geq n_{BB'_{ref}}$

with L_{ref} and $n_{BB'_{ref}}$ as specified in paragraph 3.3.1. and $n_{BB'}$ as specified in paragraphs 3.3.2. and 3.3.3.

Annex 7

Statement of compliance with the Additional Sound Emission Provisions (ASEP)

(Maximum format: A4 (210 x 297 mm))

..... (Name of manufacturer) attests that vehicles of this type (type with regard to its noise emission pursuant to UN Regulation No. 9) comply with the requirements of paragraph 6.3.4. of UN Regulation No. 9.

..... (Name of manufacturer) makes this statement in good faith, after having performed an appropriate evaluation of the sound emission performance of the vehicles.

Date:

Name of authorized representative:

Signature of authorized representative:"
