

E/ECE/324 }
E/ECE/TRANS/505 } Rev.2/Add.107/Amend.1

18 December 2003

AGREEMENT

**CONCERNING THE ADOPTION OF UNIFORM TECHNICAL PRESCRIPTIONS
FOR WHEELED VEHICLES, EQUIPMENT AND PARTS WHICH CAN BE FITTED
AND/OR BE USED ON WHEELED VEHICLES AND THE CONDITIONS FOR
RECIPROCAL RECOGNITION OF APPROVALS GRANTED ON THE BASIS OF
THESE PRESCRIPTIONS */**

(Revision 2, including the amendments which entered into force on 16 October 1995)

Addendum 107: Regulation No. 108

Amendment 1

Supplement 1 to the original version of the Regulation - Date of entry into force: 30 October 2003

**UNIFORM PROVISIONS CONCERNING THE APPROVAL FOR THE
PRODUCTION OF RETREADED PNEUMATIC TYRES
FOR MOTOR VEHICLES AND THEIR TRAILERS**



UNITED NATIONS

*/ Former title of the Agreement:

Agreement Concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958.

Paragraph 1.2., amend to read:

" capability below 120 km/h or above 300 km/h."

Paragraph 2.26., and its footnote 5/, amend to read:

"

..... of Australia (TRAA) 4/:

"Standards Manual"

- (f) The Associação Latino Americana de Pneus e Aros (ALAPA) 5/:
"Manual de Normas Técnicas"
- (g) The Scandinavian

.....

..... Australia

5/ ALAPA, Av. Paulista, 2444-12º andar, conj. 124, 01310 Sao Paulo, SP Brazil

6/"

Paragraph 2.34.2., the table, amend to read:

“

Speed symbol	Corresponding speed (km/h)
.....
V	240
W	270
Y	300

”

Paragraph 2.35.2., amend to read:

"2.35.2. for speeds greater than 210 km/h but not exceeding 300 km/h, the maximum load rating shall not exceed the percentage of the value associated with the load capacity index of the tyre, given in the table below, with reference to the speed capability of the vehicle to which the tyre is to be fitted.

Tyre speed symbol	Maximum speed – km/h	Maximum load rating - %
V	210	100,0
	215	98,5
	220	97,0
	225	95,5
	230	94,0
	235	92,5
	240	91,0
W	240	100
	250	95
	260	90
	270	85
Y	270	100
	280	95
	290	90
	300	85

For intermediate maximum speeds a linear interpolation of the maximum load rating is permissible."

Insert a new paragraph 6.1.1., to read:

"6.1.1. High speed tyres which have only the inscription "ZR" within the tyre size designation and do not bear a service description shall not be retreaded."

Paragraph 6.6.10., amend to read:

" and the maximum shall be 300 km/h ("Y" speed symbol)."

Annex 7,

Paragraph 1.2., the table, add a new row with "W and Y" for "Speed Category" and the values "3.2" for "Radial Tyres Standard" and "3.6" for "Radial Tyres Reinforced".

Paragraph 2.2.2., amend to read:

"2.2.2. the maximum load rating associated with a maximum speed (see paragraph 2.35.2. of this Regulation) of:

- 240 km/h in the case of tyres of Speed symbol "V",
 - 270 km/h in the case of tyres of Speed symbol "W",
 - 300 km/h in the case of tyres of Speed symbol "Y"."
-