



---

**Economic Commission for Europe****Inland Transport Committee****Working Party on Customs Questions affecting  
Transport****Group of Experts on Conceptual and  
Technical Aspects of Computerization of the TIR Procedure****Second session**

Geneva, 25-28 May 2021

Item 6(c) of the provisional agenda

**eTIR conceptual, functional and technical documentation version 4.3****eTIR functional specifications****Details of messages E1, E2, E3, E4, E5, E7, E8, E9, E10, E12,  
E13 and E14\*****Note by the secretariat****I. Mandate**

1. The Inland Transport Committee during its eighty-second session (23–28 February 2020) approved (ECE/TRANS/294, para. 84<sup>1</sup>) the establishment of the Group of Experts on Conceptual and Technical Aspects of Computerization of the TIR Procedure (WP.30/GE.1) and endorsed its Terms of Reference (ToR)<sup>2</sup> (ECE/TRANS/WP30/2019/9 and ECE/TRANS/WP.30/2019/9/Corr.1) pending approval by United Nations Economic Commission for Europe (ECE) Executive Committee (EXCOM). EXCOM during its Remote informal meeting of members of the Executive Committee (20 May 2020) approved the establishment of the Group of Experts on Conceptual and Technical Aspects of Computerization of the TIR Procedure (WP.30/GE.1) until 2022, based on the ToR included in document ECE/TRANS/WP.30/2019/9 and Corr.1, as contained in document ECE/TRANS/294 (ECE/EX/2020/L.2, para. 5(b)).<sup>3</sup>

---

\* The numbering of the chapters in this document is aligned with numbering of the chapters in former versions of the eTIR specifications (e.g. ECE/TRANS/WP.30/2011/4/Rev.1)

<sup>1</sup> Decision of the Inland Transport Committee para. 84 / ECE/TRANS/294  
[www.unece.org/fileadmin/DAM/trans/doc/2020/itc/ECE-TRANS-294e.pdf](http://www.unece.org/fileadmin/DAM/trans/doc/2020/itc/ECE-TRANS-294e.pdf)

<sup>2</sup> Terms of reference of the newly established Group approved by the Inland Transport Committee and the Executive Committee (EXCOM) of UNECE  
[www.unece.org/fileadmin/DAM/trans/bcf/wp30/documents/2019/ECE-TRANS-WP30-2019-09e.pdf](http://www.unece.org/fileadmin/DAM/trans/bcf/wp30/documents/2019/ECE-TRANS-WP30-2019-09e.pdf)  
and corrigendum [www.unece.org/fileadmin/DAM/trans/bcf/wp30/documents/2019/ECE-TRANS-WP30-2019-09c1e.pdf](http://www.unece.org/fileadmin/DAM/trans/bcf/wp30/documents/2019/ECE-TRANS-WP30-2019-09c1e.pdf)

<sup>3</sup> Decision of EXCOM, ECE/EX/2020/L.2 / para. 5(b)  
[www.unece.org/fileadmin/DAM/commission/EXCOM/Agenda/2020/Remote\\_informal\\_mtg\\_20\\_05\\_2020/Item\\_4\\_ECE\\_EX\\_2020\\_L.2\\_ITC\\_Sub\\_bodies\\_E.pdf](http://www.unece.org/fileadmin/DAM/commission/EXCOM/Agenda/2020/Remote_informal_mtg_20_05_2020/Item_4_ECE_EX_2020_L.2_ITC_Sub_bodies_E.pdf)



2. The ToR of the Group stipulate that the Group should focus its work on preparing a new version of the eTIR specifications, pending the formal establishment of Technical Implementation Body (TIB). More specifically the Group should (a) prepare a new version of the technical specifications of the eTIR procedure, and amendments thereto, ensuring their alignment with the functional specifications of the eTIR procedure; (b) prepare a new version of the functional specifications of the eTIR procedure, and amendments thereto, ensuring their alignment with the conceptual specifications of the eTIR procedure; (c) prepare amendments to the conceptual specifications of the eTIR procedure, upon requests by WP.30.

3. This document presents the details of messages E1, E2, E3, E4, E5, E7, E8, E9, E10, E12, E13 and E14. This document will be part of the eTIR functional specifications document.

## II. Data Analysis

### Electronic messages data elements

#### Message details

##### *External messages*

- a. E1 – Register guarantee

<b>Message</b>			..
<b>WCO Description</b>	Details related to Licenses, Permits, Certificates or Others		
<b>WCO Id</b>	74B		
<b>ChangeLog</b>	0.1	Removed 'Sender identification' from the Data model. Is technical attribute	
<b>Message function, coded</b>			1 .. 1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	9	Original	
<b>Format</b>	n..2		
<b>Status</b>	R		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element "Message Reference Number" as "Message identifier"	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E1	Register guarantee	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types) Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>LPCO/Guarantee</b>			1 .. 1
<b>WCO Description</b>	Details regarding undertaking given in cash, bond or as a written guarantee to ensure that an obligation will be fulfilled, e.g. under a transit procedure		
<b>WCO Id</b>	90A		
<b>Status</b>	R		

<b>Validity</b>			1 .. 1
<b>WCO Description</b>	The expiry date of the document (e.g. license, visa, permit, certificate)		
<b>WCO Id</b>	275		
<b>ChangeLog</b>	0.3	Date format changed to an..35	
	0.2	Format changed from n8 to an..17	
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Date/Time Format</b>	102 (CCYYMMDD)		
<b>Issuing date</b>			1 .. 1
<b>WCO Description</b>	Date at which a document was issued and when appropriate, signed or otherwise authenticated		
<b>WCO Id</b>	D011		
<b>ChangeLog</b>	0.3	Date format changed to an..35	
	0.2	Format changed from n8 to an..17	
	0.43	Date Time. Format. Code changed from 102 to 208	
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM)		
<b>Reference</b>			1 .. 1
<b>WCO Description</b>	A reference number to identify the undertaking given as a written guarantee in cash, bond, or by other such means in order to ensure that an obligation will be fulfilled		
<b>WCO Id</b>	100		
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Guarantee type</b>			1 .. 1
<b>WCO Description</b>	A code identifying the type of undertaking given as a written guarantee, in cash, bond, or by other such means in order to ensure that an obligation will be fulfilled		
<b>WCO Id</b>	101		
<b>Code list</b>	CL12	Guarantee type code	
<b>Restricted code(s)</b>	X02	eTIR guarantee valid for 2 operations	
	X03	eTIR guarantee valid for 3 operations	
	X04	eTIR guarantee valid for 4 operations	
	X07	eTIR guarantee valid for 7 operations	
	X10	eTIR guarantee valid for 10 operations	
<b>ChangeLog</b>	0.43	Replace WCO code list 006 with eTIR code list CL12 (Guarantee type code)	
<b>Format</b>	an..3		
<b>Status</b>	R		

**LPCO/Guarantee/GuaranteeChain**

1 .. 1

**WCO Description** Details related to a natural or legal person who accepts responsibility in due legal form for the financial consequences of non-fulfilment of another's obligations to the Customs (CCC)

**WCO Id** 19B

**Status** R

**Code**

1 .. 1

**WCO Description** The identifier of the party who agrees to be responsible for the debt or obligation of another

**WCO Id** R055

**Format** an..35

**Status** R

**LPCO/Guarantee/Holder**

1 .. 1

**WCO Description** Details relating to a party accepting liability for goods held or moving under a Customs authorization and - when applicable – a guarantee

**WCO Id** 28B

**Status** R

**Code**

1 .. 1

**WCO Description** Identifier of party accepting liability for goods held or moving under a Customs authorization and - when applicable – a guarantee

**WCO Id** R002

**ChangeLog** 0.43 Removed the mention of CL15 (Holders database)

**Format** an..35

**Status** R

## b. E2 - Registration results

<b>Message</b>			..
<b>WCO Description</b>	Details of the response message		
<b>WCO Id</b>	07B		
<b>ChangeLog</b>	0.1	Removed 'Sender identification' from the Data model. Is technical attribute.	
	0.2	Removed Guarantee class from this message	
0.43		Removed overridden note field for "Message reference number" to reflect the BIP name "Message identifier" introduced in the approved amendment of eTIR specification.	
<b>Message function, coded</b>			1 .. 1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	44	Accepted without reserves	
	27	Not accepted	
<b>Format</b>	n..2		
<b>Status</b>	R		
<b>Original Message Identifier</b>			1..1
<b>WCO Description</b>	Reference number identifying a specific information exchange		
<b>WCO Id</b>	D026		
<b>Remark</b>	REFERENCE TO THE PREVIOUS MESSAGE		
<b>ChangeLog</b>	0.43	Rename 'Functional reference' to 'Original Message Identifier'.	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element "Message Reference Number" as "Message identifier"	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E2	Registration results	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types) Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>Error</b>			0..unbounded
<b>WCO Description</b>	Details to identify data validation errors		
<b>WCO Id</b>	53A		
<b>Condition</b>	C006		
<b>ChangeLog</b>	0.1	Changed cardinality from 0..1 to 0..unbounded	
<b>Status</b>	D		
<b>Error, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying a data validation error		
<b>WCO Id</b>	377		
<b>Code list</b>	CL99	Error code	
<b>Format</b>	an..8		
<b>Status</b>	R		
<b>Error/Pointer</b>			1..unbounded
<b>WCO Description</b>	Details to refer to a functional attribute within a declaration		
<b>WCO Id</b>	97A		
<b>Status</b>	R		
<b>Sequence number</b>			1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence		
<b>WCO Id</b>	006		
<b>Format</b>	n..5		
<b>Status</b>	R		

**Location**

1 .. 1

<b>WCO Description</b>	Location in document in XPath syntax	
<b>WCO Id</b>	512	
<b>ChangeLog</b>	0.43	Removed the data elements; - Document/message section, coded - Tag identifier Added data element "Location"
<b>Format</b>	an..512	
<b>Status</b>	R	

## c. E3 – Cancel guarantee

<b>Message</b>			..
<b>WCO Description</b>	Details related to Licenses, Permits, Certificates or Others		
<b>WCO Id</b>	74B		
<b>ChangeLog</b>	0.1	Removed 'Sender identification' from the Data model. Is technical attribute	
<b>Message function, coded</b>			1 .. 1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	9	Original	
<b>Format</b>	n..2		
<b>Status</b>	R		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element "Message Reference Number" as "Message identifier"	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E3	Cancel guarantee	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types) Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>LPCO/Guarantee</b>			1 .. 1
<b>WCO Description</b>	Details regarding undertaking given in cash, bond or as a written guarantee to ensure that an obligation will be fulfilled, e.g. under a transit procedure		
	<b>WCO Id</b>	90A	
<b>Status</b>	R		
<b>Cancellation date</b>			1 .. 1
<b>WCO Description</b>	Date and time when the document/message was cancelled		
<b>WCO Id</b>	373		
<b>ChangeLog</b>	0.3	Date format changed to an..35	
	0.2	Format changed from n8 to an..17	
	0.43	Date Time. Format. Code changed from 304 to 208	
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM)		
<b>Reference</b>			1 .. 1
<b>WCO Description</b>	A reference number to identify the undertaking given as a written guarantee in cash, bond, or by other such means in order to ensure that an obligation will be fulfilled		
<b>WCO Id</b>	100		
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Guarantee type, coded</b>			1 .. 1
<b>WCO Description</b>	A code identifying the type of undertaking given as a written guarantee, in cash, bond, or by other such means in order to ensure that an obligation will be fulfilled		
<b>WCO Id</b>	101		
<b>Code list</b>	CL12	Guarantee type code	
<b>Restricted code(s)</b>	X02	eTIR guarantee valid for 2 operations	
	X03	eTIR guarantee valid for 3 operations	
	X04	eTIR guarantee valid for 4 operations	
	X07	eTIR guarantee valid for 7 operations	
	X10	eTIR guarantee valid for 10 operations	
<b>ChangeLog</b>	0.43	Replace WCO code list 006 with eTIR code list CL12 (Guarantee type code)	
<b>Format</b>	an..3		
<b>Status</b>	R		





<b>WCO Description</b>	Details related to a natural or legal person who accepts responsibility in due legal form for the financial consequences of non-fulfilment of another's obligations to the Customs (CCC)		
<b>WCO Id</b>	19B		
<b>Status</b>	R		
<b>Code</b>			1 .. 1
<b>WCO Description</b>	The identifier of the party who agrees to be responsible for the debt or obligation of another		
<b>WCO Id</b>	R055		
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>LPCO/Guarantee/Holder</b>			1 .. 1
<b>WCO Description</b>	Details relating to a party accepting liability for goods held or moving under a Customs authorization and - when applicable - a guarantee		
<b>WCO Id</b>	28B		
<b>Status</b>	R		
<b>Code</b>			1 .. 1
<b>WCO Description</b>	Identifier of party accepting liability for goods held or moving under a Customs authorization and - when applicable – a guarantee		
<b>WCO Id</b>	R002		
<b>ChangeLog</b>	0.43	Removed the mention of CL15 (Holders database)	
	0.43	Updated the cardinality from 0..1 to 1..1 to match the cardinality of the same attribute in all other messages.	
<b>Format</b>	an..35		
<b>Status</b>	R		

## d. E4 – Cancellation results

<b>Message</b>			..
<b>WCO Description</b>	Details of the response message		
<b>WCO Id</b>	07B		
<b>ChangeLog</b>	0.2	Removed Guarantee class from this message	
	0.1	Removed 'Sender identification' from the Data model. Is technical attribute.	
	0.43	Removed overridden note field for "Message reference number" to reflect the BIP name "Message identifier" introduced in the approved amendment of eTIR specification.	
<b>Message function, coded</b>			1 .. 1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	27	Not accepted	
	44	Accepted without reserves	
	45	Accepted with reserves (pending the termination of the current TIR operation)	
<b>Format</b>	n..2		
<b>Status</b>	R		
<b>Original Message Identifier</b>			1..1
<b>WCO Description</b>	Reference number identifying a specific information exchange		
<b>WCO Id</b>	D026		
<b>Remark</b>	REFERENCE TO THE PREVIOUS MESSAGE		
<b>ChangeLog</b>	0.43	Rename 'Functional reference' to 'Original Message Identifier'.	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element "Message Reference Number" as "Message identifier"	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E4	Cancellation results	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types) Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>Error</b>			0..unbounded
<b>WCO Description</b>	Details to identify data validation errors		
<b>WCO Id</b>	53A		
<b>Condition</b>	C006		
<b>ChangeLog</b>	0.1	Changed cardinality from 0..1 to 0..unbounded	
<b>Status</b>	D		
<b>Error, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying a data validation error		
<b>WCO Id</b>	377		
<b>Code list</b>	CL99	Error code	
<b>Format</b>	an..8		
<b>Status</b>	R		
<b>Error/Pointer</b>			1..unbounded
<b>WCO Description</b>	Details to refer to a functional attribute within a declaration		
<b>WCO Id</b>	97A		
<b>Status</b>	R		

<b><i>Sequence number</i></b>			1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence		
<b>WCO Id</b>	006		
<b>Format</b>	n..5		
<b>Status</b>	R		
<b><i>Location</i></b>			1 .. ..1
<b>WCO Description</b>	Location in document in XPath syntax		
<b>WCO Id</b>	512		
<b>ChangeLog</b>	0.43	Removed the data elements; - Document/message section, coded - Tag identifier Added data element "Location"	
<b>Format</b>	an..512		
<b>Status</b>	R		

## e. E5 – Query guarantee

<b>Message</b>			..
<b>WCO Description</b>	Details related to Licenses, Permits, Certificates or Others		
<b>WCO Id</b>	74B		
<b>ChangeLog</b>	0.1	Removed 'Sender identification' from the Data model. Is technical attribute	
<b>Message function, coded</b>			1..1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	9	Original	
<b>Format</b>	n..2		
<b>Status</b>			R
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element "Message Reference Number" as "Message identifier"	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E5	Query guarantee	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types) Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>Reply type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the type of reply required or transmitted		
<b>WCO Id</b>	D040		
<b>Code list</b>	CL09	Reply type	
<b>ChangeLog</b>	0.3	Renamed the code list from 'Message sub type' to 'Reply type'	
	0.3	Renamed element name 'Sub type, coded' to 'Reply type, coded'	
	0.1	Replaces 'GUARANTEE.Query type' and uses CL09 (Message sub type)	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>LPCO/Guarantee</b>			1 .. 1
<b>WCO Description</b>	Details regarding undertaking given in cash, bond or as a written guarantee to ensure that an obligation will be fulfilled, e.g. under a transit procedure		
<b>WCO Id</b>	90A		
<b>ChangeLog</b>	0.1	Attribute "Query type" removed and replaced by "MESSAGE.Sub type, coded"	
<b>Status</b>	R		
<b>Reference</b>			1 .. 1
<b>WCO Description</b>	A reference number to identify the undertaking given as a written guarantee in cash, bond, or by other such means in order to ensure that an obligation will be fulfilled		
<b>WCO Id</b>	100		
<b>Format</b>	an..35		
<b>Status</b>		R	

g. E7 – Notify guarantee chain

<b>Message</b>			..
<b>WCO Description</b>	Details related to Licenses, Permits, Certificates or Others		
<b>WCO Id</b>	74B		
<b>ChangeLog</b>	0.1	Removed 'Sender identification' from the Data model. Is technical attribute	
	0.1	Replaces 'NOTIFICATION.Code' and uses CL09 (Sub type, coded)	
<b>Message function, coded</b>			1 .. 1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	T1	New Advance TIR data	
	T2	Updated Advance TIR data	
	T3	New start of operation	
	T4	New termination of operation	
	T5	New discharge of operation	
<b>ChangeLog</b>	0.3	Replaces data element 'Sub type, coded'	
	0.3	Code '9' (Original) is replaced by the (temporary) codes T1, T2, T3, T4 and T5. Final codes will be available after UN/CEFACT added those codes to the UN Code list 1225.	
<b>Format</b>	n..2		
<b>Status</b>	R		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element "Message Reference Number" as "Message Identifier"	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E7	Notify guarantee chain	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types) Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>LPCO/Guarantee</b>			1 .. 1
<b>WCO Description</b>	Details regarding undertaking given in cash, bond or as a written guarantee to ensure that an obligation will be fulfilled, e.g. under a transit procedure		
<b>WCO Id</b>	90A		
<b>ChangeLog</b>	0.1	Removed Notification class. The attribute 'Code' is replaced by MESSAGE.Sub type, coded.	
<b>Status</b>	R		
<b>Reference</b>			1 .. 1
<b>WCO Description</b>	A reference number to identify the undertaking given as a written guarantee in cash, bond, or by other such means in order to ensure that an obligation will be fulfilled		
<b>WCO Id</b>	100		
<b>Format</b>	an..35		
<b>Status</b>	R		

## h. E8 – Notification confirmation

<b>Message</b>			..
<b>WCO Description</b>	Details of the response message		
<b>WCO Id</b>	07B		
<b>ChangeLog</b>	0.2	Removed Guarantee class from this message	
	0.1	Removed 'Sender identification' from the Data model. Is technical attribute.	
	0.43	Removed overridden note field for "Message reference number" to reflect the BIP name "Message identifier" introduced in the approved amendment of eTIR specification.	
<b>Message function, coded</b>			1 .. 1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	11	Response	
<b>Format</b>	n..2		
<b>Status</b>	R		
<b>Original Message Identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific information exchange		
<b>WCO Id</b>	D026		
<b>Remark</b>	REFERENCE TO THE PREVIOUS MESSAGE		
<b>ChangeLog</b>	0.43	Rename 'Functional reference' to 'Original Message Identifier'.	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element "Message Reference Number" as "Message identifier"	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E8	Notification confirmation	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types) Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>Error</b>			0..unbounded
<b>WCO Description</b>	Details to identify data validation errors		
<b>WCO Id</b>	53A		
<b>Condition</b>	C006		
<b>ChangeLog</b>	0.1	Changed cardinality from 0..1 to 0..unbounded	
<b>Status</b>	D		
<b>Error, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying a data validation error		
<b>WCO Id</b>	377		
<b>Code list</b>	CL99	Error code	
<b>Format</b>	an..8		
<b>Status</b>	R		
<b>Error/Pointer</b>			1..unbounded
<b>WCO Description</b>	Details to refer to a functional attribute within a declaration		
<b>WCO Id</b>	97A		
<b>Status</b>	R		
<b>Sequence number</b>			1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence		
<b>WCO Id</b>	006		
<b>Format</b>	n..5		
<b>Status</b>	R		

---

**Location**  
**WCO Description** Location in document in XPath syntax  
**WCO Id** 512

1 .. 1

<b>ChangeLog</b>	0.43	Removed the data elements; - Document/message section, coded - Tag identifier Added data element "Location"
Format	an..512	
Status	R	



## i. E9 – Advance TIR data

**Message**

<b>WCO Description</b>	Any statement or action, in any form prescribed or accepted by the Governmental Agency, giving information or particulars required by the Governmental Agency	..
<b>WCO Id</b>	42A	
<b>ChangeLog</b>	0.43 "Advanced Cargo Information" renamed as "Advance TIR data"	
	0.43 As per the split of the E9 message into E11 and E13 and the instructions from Condition C008, removed the	
	0.43 "Functional Reference" and "Amendment" classes	
	0.43 Removed the "Issuance Date" field as it is now replaced by the "Preparation date and time" field from the	
	0.1 MeataData envelope	
	Removed 'Sender identification' from the Data model. Is technical attribute.	

**Message function, coded**

1 .. 1

<b>WCO Description</b>	Code indicating the function of a document	
<b>WCO Id</b>	017	
<b>Code list</b>	CL16 Message function code	
<b>Restricted code(s)</b>	9 Original	
<b>ChangeLog</b>	0.3 Added restricted code '1' (Cancellation). This code makes it possible to cancel the Declaration.	
	0.43 Removed restricted codes '1' (Cancellation) and '4' (Change). This code will be reflected in their newly created messages.	
<b>Format</b>	n..2	
<b>Status</b>	R	

**Message identifier**

1 .. 1

<b>WCO Description</b>	Reference number identifying a specific document	
<b>WCO Id</b>	D014	
<b>ChangeLog</b>	0.2 Format changed from an..14 to an..35	
	0.43 Renamed the Data element "Message Reference Number" as "Message identifier"	
<b>Format</b>	an..70	
<b>Status</b>	R	

**Issuing date**

1 .. 1

<b>WCO Description</b>	Date at which a response was issued and when appropriate, signed or otherwise authenticated	
<b>WCO Id</b>	D029	
<b>ChangeLog</b>	0.3 Date format changed to an..35	
	0.3 Changed the attribute name from 'Date' to 'Issuing date'.	
	0.43 Change of Date Time. Format Code from 304 to 208	
<b>Format</b>	an..35	
<b>Status</b>	R	
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM)	

**Type, coded**

1 .. 1

<b>WCO Description</b>	Code specifying the name of a document	
<b>WCO Id</b>	D013	
<b>Code list</b>	CL26 Message type	
<b>Restricted code(s)</b>	E9 Advance TIR data	
<b>ChangeLog</b>	0.1 CL06 (Document name code) replaced by CL26 (Message types)	
	Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3	
<b>Status</b>	R	

**Total gross weight**

0 .. 1

<b>WCO Description</b>	Weight (mass) of goods including packaging but excluding the carrier's equipment for a document	
<b>WCO Id</b>	131	
<b>SAFE information</b>	Yes	
<b>Format</b>	n..16,6	
<b>Status</b>	O	
<b>Attribute</b>	<b>Type:</b>	<b>Measure Unit. Code</b>
	<b>Code List:</b>	CL21 (Measurement unit code)

<b>AdditionalInformation</b>		1 .. 1
<b>WCO Description</b>	Special request to government from declarant to take or not to take action	
<b>WCO Id</b>	03A	
<b>ChangeLog</b>	0.3 Status changed from Required (R) to Dependent (D). 0.43 Added Condition C008 0.43 Removed Condition C008 Status changed from Dependent (D) to Required (R). R	
<b>Status</b>	R	
<b>Remarks</b>		0 .. 1
<b>WCO Description</b>	Free text field available to the message sender for information	
<b>WCO Id</b>	105	
<b>Format</b>	an..512	
<b>Status</b>	O	
<b>Heavy and bulky goods indicator</b>		1 .. 1
<b>WCO Description</b>	Coded form of an additional statement	
<b>WCO Id</b>	226	
<b>Code list</b>	CL14 Indicator	
<b>Restricted code(s)</b>	0 No 1 Yes	
<b>Format</b>	an..17	
<b>Status</b>	R	
<b>Agent</b>		0 .. 1
<b>WCO Description</b>	Person authorised to act on behalf of another party	
<b>WCO Id</b>	05A	
<b>SAFE information</b>	Yes	
<b>Status</b>	O	
<b>Name</b>		0 .. 1
<b>WCO Description</b>	Name of a party authorised to act on behalf of another party	
<b>WCO Id</b>	R003	
<b>Condition</b>	C001	
<b>ChangeLog</b>	0.3 Added 'Name' to the Agent class	
<b>Format</b>	an..70	
<b>Status</b>	D	
<b>Code</b>		0 .. 1
<b>WCO Description</b>	Identification of a party authorised to act on behalf of another party	
<b>WCO Id</b>	R004	
<b>Condition</b>	C001	
<b>ChangeLog</b>	0.3 Status changed from Required (R) to Dependent (D) New Condition C001	
<b>Format</b>	an..35	
<b>Status</b>	D	
<b>Role, coded</b>		1 .. 1
<b>WCO Description</b>	Code giving specific meaning to a party	
<b>WCO Id</b>	R005	
<b>Code list</b>	CL02 Party role codes	
<b>Restricted code(s)</b>	AE Declarant's agent/representative AG Agent CB Customs broker FW Freight forwarder	
<b>ChangeLog</b>	0.43 Add restricted role codes (AE, AG, CB, FW) consistently for Agent in all messages 0.43 Removed restricted codes '1' (Cancellation) and '4' (Change). These codes will be reflected in their newly created messages.	
<b>Format</b>	an..3	
<b>Status</b>	R	
<b>Agent/Address</b>		0 .. 1
<b>WCO Description</b>	Details relating to an address	
<b>WCO Id</b>	04A	
<b>Condition</b>	C001	
<b>ChangeLog</b>	0.43 Changed cardinality from 0..unbounded to 0..1	
<b>Status</b>	D	

<b>City name</b>			1 .. 1
<b>WCO Description</b>	Name of a city		
<b>WCO Id</b>	241		
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Country, coded</b>			1 .. 1
<b>WCO Description</b>	Identification of the name of the country or other geographical entity as specified in ISO 3166 and UN/ECE Rec 3		
<b>WCO Id</b>	242		
<b>Code list</b>	CL04	Country name code	
<b>Format</b>	a2		
<b>Status</b>	R		
<b>Street and number/P.O. Box</b>			1 .. 1
<b>WCO Description</b>	Specification of the postal delivery point such as street and number or post office box		
<b>WCO Id</b>	239		
<b>Format</b>	an..256		
<b>Status</b>	R		
<b>Postcode identification</b>			1 .. 1
<b>WCO Description</b>	Code specifying a postal zone or address		
<b>WCO Id</b>	245		
<b>Format</b>	an..17		
<b>Status</b>	R		
<b>SubContractor</b>			0..unbounded
<b>WCO Description</b>	Name and address details of the party undertaking or arranging transport of goods between named points		
<b>WCO Id</b>	18A		
<b>ChangeLog</b>	0.43	Change cardinality to 0..unbounded (before: 0..1).	
<b>Status</b>	O		
<b>Name</b>			0 .. 1
<b>WCO Description</b>	Name of party providing the transport of goods between named points		
<b>WCO Id</b>	R011		
<b>Condition</b>	C001		
<b>Format</b>	an..70		
<b>Status</b>	D		
<b>Code</b>			0 .. 1
<b>WCO Description</b>	To identify a party providing the transport of goods between named points		
<b>WCO Id</b>	R012		
<b>Condition</b>	C001		
<b>ChangeLog</b>	0.43	Removed the mention of CL15 (Holders database) as this is an identifier that is managed within the International TIR DataBank (ITDB)	
<b>Format</b>	an..35		
<b>Status</b>	D		
<b>SubContractor/Address</b>			0 .. 1
<b>WCO Description</b>	Details relating to an address		
<b>WCO Id</b>	04A		
<b>Condition</b>	C001		
<b>Status</b>	D		
<b>City name</b>			1 .. 1
<b>WCO Description</b>	Name of a city		
<b>WCO Id</b>	241		
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Country, coded</b>			1 .. 1
<b>WCO Description</b>	Identification of the name of the country or other geographical entity as specified in ISO 3166 and UN/ECE Rec 3		
<b>WCO Id</b>	242		
<b>Code list</b>	CL04	Country name code	
<b>Format</b>	a2		
<b>Status</b>	R		

<b>Street and number/P.O. Box</b>			1 .. 1
<b>WCO Description</b>	Specification of the postal delivery point such as street and number or post office box		
<b>WCO Id</b>	239		
<b>Format</b>	an..256		
<b>Status</b>	R		
<b>Postcode identification</b>			1 .. 1
<b>WCO Description</b>	Code specifying a postal zone or address		
<b>WCO Id</b>	245		
<b>Format</b>	an..17		
<b>Status</b>	R		
<b>Consignment</b>			1..unbounded
<b>WCO Description</b>	Details about the transport between a consignor and a consignee as specified in the transport contract document		
<b>WCO Id</b>	28A		
<b>ChangeLog</b>	0.3	Status changed from Required (R) to Dependent (D).	
	0.43	Added Condition C008	
	0.43	Removed Condition C008	
		Status changed from Dependent (D) to Required (R).	
<b>Status</b>			R
<b>Sequence number</b>			1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence		
<b>WCO Id</b>	006		
<b>Format</b>	n..5		
<b>Status</b>	R		
<b>Consignment/AttachedDocuments</b>			0..unbounded
<b>WCO Description</b>	Details related to additional documents supplied as part of a declaration or sought as part of a response		
<b>WCO Id</b>	02A		
<b>Status</b>	O		
<b>Number</b>			1 .. 1
<b>WCO Description</b>	Identifier of a document providing additional information		
<b>WCO Id</b>	D005		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35 because of change in version 3.30 WCO Data model	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Issuing date</b>			1 .. 1
<b>WCO Description</b>	Date at which an additional document was issued and when appropriate, signed or otherwise authenticated		
<b>WCO Id</b>	D002		
<b>ChangeLog</b>	0.3	Date format changed to an..35	
	0.43	Change Date Time. Format Code to 102 or 208	
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM) 102 (CCYYMMDD)		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of an additional document		
<b>WCO Id</b>	D006		
<b>Code list</b>	CL06	Document name code	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>Consignment/AttachedDocuments/BinaryFile</b>			0 .. 1
<b>WCO Description</b>	A computer file or program stored in a binary format		
<b>WCO Id</b>	72B		
<b>Status</b>	O		
<b>Identification</b>			1 .. 1
<b>WCO Description</b>	A unique identifier for this binary file		
<b>WCO Id</b>	M001		
<b>Format</b>	an..256		
<b>Status</b>	R		

---

<b>Title</b>		1 .. 1
<b>WCO Description</b>	A title, expressed as text, for this binary file	
<b>WCO Id</b>	M002	
<b>Format</b>	an..256	
<b>Status</b>	R	
<b>Author name</b>		0 .. 1
<b>WCO Description</b>	An author name, expressed as text, of this binary file	
<b>WCO Id</b>	M003	
<b>Format</b>	an..70	
<b>Status</b>	O	
<b>Version</b>		0 .. 1
<b>WCO Description</b>	A unique version identifier for this binary file	
<b>WCO Id</b>	M004	
<b>Format</b>	an..17	
<b>Status</b>	O	

<b>File name</b>		0 .. 1
<b>WCO Description</b>	A file name, expressed as text, of this binary file	
<b>WCO Id</b>	M005	
<b>Format</b>	an..256	
<b>Status</b>	O	
<b>URI</b>		0 .. 1
<b>WCO Description</b>	A unique Uniform Resource Identifier (URI) for this binary file	
<b>WCO Id</b>	M006	
<b>Format</b>	an..2048	
<b>Status</b>	O	
<b>MIME</b>		0 .. 1
<b>WCO Description</b>	A code specifying the Multipurpose Internet Mail Extensions (MIME) type for this binary file	
<b>WCO Id</b>	M007	
<b>Format</b>	an..70	
<b>Status</b>	O	
<b>Encoding</b>		0 .. 1
<b>WCO Description</b>	A code specifying the encoding of this binary file	
<b>WCO Id</b>	M008	
<b>Format</b>	an..17	
<b>Status</b>	O	
<b>Character set</b>		0 .. 1
<b>WCO Description</b>	A code specifying the character set for this binary file	
<b>WCO Id</b>	M009	
<b>Format</b>	n..17	
<b>Status</b>	O	
<b>Include binary object</b>		0 .. 1
<b>WCO Description</b>	An included binary object for this binary file	
<b>WCO Id</b>	M010	
<b>Format</b>	N/A	
<b>Status</b>	O	
<b>Access</b>		0 .. 1
<b>WCO Description</b>	Access information, expressed as text, for this binary file such as security and download parameters	
<b>WCO Id</b>	M011	
<b>Format</b>	an..256	
<b>Status</b>	O	
<b>Description</b>		0 .. 1
<b>WCO Description</b>	A textual description of this binary file	
<b>WCO Id</b>	M012	
<b>Format</b>	an..256	
<b>Status</b>	O	
<b>Size</b>		0 .. 1
<b>WCO Description</b>	A measure of the size of this binary file	
<b>WCO Id</b>	M013	
<b>Restricted code(s)</b>	AD        byte 4L        kilobyte 2P        megabyte	
<b>ChangeLog</b>	0.43        Added restricted codes 'AD', '4L' and '2P' to limit the choices to only plausible values for a file size	
<b>Format</b>	n..16,6	
<b>Status</b>	O	
<b>Attribute</b>	<b>Type:</b>	<b>Measure Unit. Code</b>
	<b>Code List:</b>	CL21 (Measurement unit code)
<b>Type</b>		0 .. 1
<b>WCO Description</b>	The code specifying the type of binary file, such as photo, spreadsheet	
<b>WCO Id</b>	M014	
<b>Format</b>	an..6	
<b>Status</b>	O	

**Hash code**

0 .. 1

**WCO Description** Hash code of the linked document**WCO Id** M015**Format** an..256**Status** O

<b>Hash code algorithm id</b>		0 .. 1
<b>WCO Description</b>	Code indicating the algorithm used to calculate the hash code (e.g. MD5, ..)	
<b>WCO Id</b>	M016	
<b>Format</b>	an..6	
<b>Status</b>	O	
<b>Consignment/ConsignmentItem</b>		1..unbounded
<b>WCO Description</b>	Details of an item in a consignment	
<b>WCO Id</b>	29A	
<b>Status</b>	R	
<b>Sequence number</b>		1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence	
<b>WCO Id</b>	006	
<b>Format</b>	n..5	
<b>Status</b>	R	
<b>Consignment/ConsignmentItem/AdditionalInformation</b>		0..unbounded
<b>WCO Description</b>	Special request to government from declarant to take or not to take action	
<b>WCO Id</b>	03A	
<b>Status</b>	O	
<b>Remarks</b>		1 .. 1
<b>WCO Description</b>	Free text field available to the message sender for information	
<b>WCO Id</b>	105	
<b>Format</b>	an..512	
<b>Status</b>	R	
<b>Consignment/ConsignmentItem/Goods</b>		1 .. 1
<b>WCO Description</b>	Details about the properties of the goods	
<b>WCO Id</b>	23A	
<b>Status</b>	R	
<b>Description</b>		0 .. 1
<b>WCO Description</b>	Plain language description of the cargo of a means of transport, in general terms only	
<b>WCO Id</b>	138	
<b>Condition</b>	C004	
<b>SAFE information</b>	Yes	
<b>Format</b>	an..256	
<b>Status</b>	D	
<b>Consignment/ConsignmentItem/Goods/Classification</b>		0..unbounded
<b>WCO Description</b>	Details about the non-commercial categorization of a commodity by a standard-setting organization	
<b>WCO Id</b>	21A	
<b>Rule</b>	R008	
<b>Status</b>	O	
<b>Code</b>		1 .. 1
<b>WCO Description</b>	The non-commercial categorization of a commodity by a standard-setting organization	
<b>WCO Id</b>	145	
<b>Format</b>	an..18	
<b>Status</b>	R	
<b>Type, coded</b>		1 .. 1
<b>WCO Description</b>	A qualifier to describe the commodity classification, e.g. Harmonized Tariff Schedule (HTS), Export Control Classification Code (ECCC), UNDG Code list, International Code of Zoological Nomenclature (ICZN)	
<b>WCO Id</b>	337	
<b>Code list</b>	CL03	Item type identification code
<b>ChangeLog</b>	0.43	New attribute
<b>Format</b>	an..3	
<b>Status</b>	R	
<b>Consignment/ConsignmentItem/Consignee</b>		0 .. 1
<b>WCO Description</b>	Name and address details of the party to which goods are consigned	
<b>WCO Id</b>	27A	
<b>SAFE information</b>	Yes	
<b>Status</b>	O	



---

**Name**  
**WCO Description** Name of party to which goods are consigned  
**WCO Id** R014  
**Condition** C001

0 .. 1

<b>Format</b>	an..70	
<b>Status</b>	D	
<b>Code</b>		0 .. 1
<b>WCO Description</b>	Identifier of party to which goods are consigned	
<b>WCO Id</b>	R015	
<b>Condition</b>	C001	
<b>Remark</b>	Code list to be defined	
<b>Format</b>	an..35	
<b>Status</b>	D	
<b>Consignment/ConsignmentItem/Consignee/Address</b>		0 .. 1
<b>WCO Description</b>	Details relating to an address	
<b>WCO Id</b>	04A	
<b>Condition</b>	C001	
<b>Status</b>	D	
<b>City name</b>		1 .. 1
<b>WCO Description</b>	Name of a city	
<b>WCO Id</b>	241	
<b>Format</b>	an..35	
<b>Status</b>	R	
<b>Country, coded</b>		1 .. 1
<b>WCO Description</b>	Identification of the name of the country or other geographical entity as specified in ISO 3166 and UN/ECE Rec 3	
<b>WCO Id</b>	242	
<b>Code list</b>	CL04	Country name code
<b>Format</b>	a2	
<b>Status</b>	R	
<b>Street and number/P.O. Box</b>		1 .. 1
<b>WCO Description</b>	Specification of the postal delivery point such as street and number or post office box	
<b>WCO Id</b>	239	
<b>Format</b>	an..256	
<b>Status</b>	R	
<b>Postcode identification</b>		1 .. 1
<b>WCO Description</b>	Code specifying a postal zone or address	
<b>WCO Id</b>	245	
<b>Format</b>	an..17	
<b>Status</b>	R	
<b>Consignment/ConsignmentItem/Consignor</b>		0 .. 1
<b>WCO Description</b>	Name and address details of the party which, by contract with a carrier, consigns or sends goods with the carrier, or has them conveyed by him	
<b>WCO Id</b>	30A	
<b>SAFE information</b>	Yes	
<b>Status</b>	O	
<b>Name</b>		0 .. 1
<b>WCO Description</b>	Name of the party consigning goods as stipulated in the transport contract by the party ordering transport	
<b>WCO Id</b>	R020	
<b>Condition</b>	C001	
<b>Format</b>	an..70	
<b>Status</b>	D	
<b>Code</b>		0 .. 1
<b>WCO Description</b>	To identify the party consigning goods as stipulated in the transport contract by the party ordering transport	
<b>WCO Id</b>	R021	
<b>Condition</b>	C001	
<b>Remark</b>	Code list to be defined	
<b>Format</b>	an..35	
<b>Status</b>	D	

---

<b>Consignment/ConsignmentItem/Consignor/Address</b>		0 .. 1
<b>WCO Description</b>	Details relating to an address	
<b>WCO Id</b>	04A	
<b>Condition</b>	C001	
<b>Status</b>	D	
<b>City name</b>		1 .. 1

<b>WCO Description</b>	Name of a city	
<b>WCO Id</b>	241	
<b>Format</b>	an..35	
<b>Status</b>	R	
<b>Country, coded</b>		1 .. 1
<b>WCO Description</b>	Identification of the name of the country or other geographical entity as specified in ISO 3166 and UN/ECE Rec 3	
<b>WCO Id</b>	242	
<b>Code list</b>	CL04 Country name code	
<b>Format</b>	a2	
<b>Status</b>	R	
<b>Street and number/P.O. Box</b>		1 .. 1
<b>WCO Description</b>	Specification of the postal delivery point such as street and number or post office box	
<b>WCO Id</b>	239	
<b>Format</b>	an..256	
<b>Status</b>	R	
<b>Postcode identification</b>		1 .. 1
<b>WCO Description</b>	Code specifying a postal zone or address	
<b>WCO Id</b>	245	
<b>Format</b>	an..17	
<b>Status</b>	R	
<b>Consignment/ConsignmentItem/DeliveryDestination</b>		0 .. 1
<b>WCO Description</b>	The party to which goods are to be delivered	
<b>WCO Id</b>	44A	
<b>SAFE information</b>	Yes	
<b>Status</b>	O	
<b>Name</b>		1 .. 1
<b>WCO Description</b>	Name of the party to which goods are to be delivered	
<b>WCO Id</b>	R027	
<b>Format</b>	an..70	
<b>Status</b>	R	
<b>Consignment/ConsignmentItem/DeliveryDestination/Address</b>		1 .. 1
<b>WCO Description</b>	Details relating to an address	
<b>WCO Id</b>	04A	
<b>Status</b>	R	
<b>City name</b>		1 .. 1
<b>WCO Description</b>	Name of a city	
<b>WCO Id</b>	241	
<b>Format</b>	an..35	
<b>Status</b>	R	
<b>Country, coded</b>		1 .. 1
<b>WCO Description</b>	Identification of the name of the country or other geographical entity as specified in ISO 3166 and UN/ECE Rec 3	
<b>WCO Id</b>	242	
<b>Code list</b>	CL04 Country name code	
<b>Format</b>	a2	
<b>Status</b>	R	
<b>Street and number/P.O. Box</b>		1 .. 1
<b>WCO Description</b>	Specification of the postal delivery point such as street and number or post office box	
<b>WCO Id</b>	239	
<b>Format</b>	an..256	
<b>Status</b>	R	
<b>Postcode identification</b>		1 .. 1
<b>WCO Description</b>	Code specifying a postal zone or address	
<b>WCO Id</b>	245	
<b>Format</b>	an..17	
<b>Status</b>	R	
<b>Consignment/ConsignmentItem/GoodsMeasure</b>		1 .. 1
<b>WCO Description</b>	Details about the goods weight, quantities, and amounts	
<b>WCO Id</b>	65A	
<b>Status</b>	R	

<b>Gross weight</b>			1 .. 1
<b>WCO Description</b>	Weight of line item including packaging but excluding the transport equipment		
<b>WCO Id</b>	126		
<b>Format</b>	n..16,6		
<b>Status</b>	R		
<b>Attribute</b>	<b>Type:</b>	<b>Measure Unit. Code</b>	
	<b>Code List:</b>	CL21 (Measurement unit code)	
<b>Consignment/ConsignmentItem/Packaging</b>			1 .. 1
<b>WCO Description</b>	Details related to packaging		
<b>WCO Id</b>	93A		
<b>Status</b>	R		
<b>Marks and numbers</b>			0 .. 1
<b>WCO Description</b>	Free form description of the marks and numbers on a transport unit or package		
<b>WCO Id</b>	142		
<b>Format</b>	an..512		
<b>Status</b>	O		
<b>Number of packages</b>			0 .. 1
<b>WCO Description</b>	Number of individual items packaged in such a way that they cannot be divided without first undoing the packing		
<b>WCO Id</b>	144		
<b>Condition</b>	C002		
<b>SAFE information</b>	Yes		
<b>Format</b>	n..8		
<b>Status</b>	D		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the type of package of an item		
<b>WCO Id</b>	141		
<b>Code list</b>	CL07	Package type description code	
<b>SAFE information</b>	Yes		
<b>Format</b>	an..2		
<b>Status</b>	R		
<b>Consignment/ConsignmentItem/TransportEquipment</b>			0 .. 1
<b>WCO Description</b>	Details of Transport equipment used for the consignment		
<b>WCO Id</b>	31B		
<b>Condition</b>	C003		
<b>ChangeLog</b>	0.1	The attributes 'Seal number' and 'Size and type identification' moved to 'Consignment.TransportEquipment.Seals' and 'Consignment.TransportEquipment'class.	
<b>Status</b>	D		
<b>Identification</b>			1 .. 1
<b>WCO Description</b>	Marks (letters and/or numbers) which identify equipment e.g. unit load device		
<b>WCO Id</b>	159		
<b>SAFE information</b>	Yes		
<b>ChangeLog</b>	0.1	Also added to Consignment level.	
<b>Format</b>	an..17		
<b>Status</b>	R		
<b>Consignment/ConsignmentItem/UCR</b>			0 .. 1
<b>WCO Description</b>	Unique Trader Reference such as UCR		
<b>WCO Id</b>	35B		
<b>SAFE information</b>	Yes		
<b>Status</b>	O		
<b>Identifier</b>			0 .. 1
<b>WCO Description</b>	Unique number assigned to goods being subject to cross border transactions		
<b>WCO Id</b>	016		
<b>Format</b>	an..35		
<b>Status</b>	O		
<b>Consignment/LoadingLocation</b>			0 .. 1
<b>WCO Description</b>	Place at which the goods (consignments) are loaded on to the active means of transport		
<b>WCO Id</b>	83A		
<b>SAFE information</b>	Yes		
<b>Status</b>	O		

<b>Name</b>		0 .. 1
<b>WCO Description</b>	Name of a seaport, airport, freight terminal, rail station or other place at which goods are loaded onto the means of transport being used for their carriage	
<b>WCO Id</b>	L009	
<b>Format</b>	an..256	
<b>Status</b>	O	
<b>Consignment/NotifyParty</b>		0 .. 1
<b>WCO Description</b>	Details related to a party to be notified	
<b>WCO Id</b>	89A	
<b>Status</b>	O	
<b>Name</b>		0 .. 1
<b>WCO Description</b>	Name of party to be notified	
<b>WCO Id</b>	R045	
<b>Condition</b>	C001	
<b>Format</b>	an..70	
<b>Status</b>	D	
<b>Code</b>		0 .. 1
<b>WCO Description</b>	Identification of a party to be notified	
<b>WCO Id</b>	R046	
<b>Condition</b>	C001	
<b>Format</b>	an..35	
<b>Status</b>	D	
<b>Consignment/NotifyParty/Address</b>		0 .. 1
<b>WCO Description</b>	Details relating to an address	
<b>WCO Id</b>	04A	
<b>Condition</b>	C001	
<b>Status</b>	D	
<b>City name</b>		1 .. 1
<b>WCO Description</b>	Name of a city	
<b>WCO Id</b>	241	
<b>Format</b>	an..35	
<b>Status</b>	R	
<b>Country, coded</b>		1 .. 1
<b>WCO Description</b>	Identification of the name of the country or other geographical entity as specified in ISO 3166 and UN/ECE Rec 3	
<b>WCO Id</b>	242	
<b>Code list</b>	CL04	Country name code
<b>Format</b>	a2	
<b>Status</b>	R	
<b>Street and number/P.O. Box</b>		1 .. 1
<b>WCO Description</b>	Specification of the postal delivery point such as street and number or post office box	
<b>WCO Id</b>	239	
<b>Format</b>	an..256	
<b>Status</b>	R	
<b>Postcode identification</b>		1 .. 1
<b>WCO Description</b>	Code specifying a postal zone or address	
<b>WCO Id</b>	245	
<b>Format</b>	an..17	
<b>Status</b>	R	
<b>Consignment/CustomsOfficeOfDeparture</b>		1 .. 1
<b>WCO Description</b>	Details relating to the place at which the goods depart under customs control of a transit procedure	
<b>WCO Id</b>	25B	
<b>Status</b>	R	
<b>Code</b>		1 .. 1
<b>WCO Description</b>	Identification of the place at which the goods depart under Customs control of transit procedure	
<b>WCO Id</b>	L087	
<b>ChangeLog</b>	0.43	Removed the mention of CL13 (Customs office database)
	0.43	Add Status R for each occurrence of the coded attribute in the CustomsOffice class
<b>Format</b>	an..35	
<b>Status</b>	R	

<b>Consignment/CustomsOfficeOfDestination</b>		1 .. 1
<b>WCO Description</b>	Place at which the goods are destined under Customs control of transit procedure	
<b>WCO Id</b>	26B	
<b>Status</b>	R	
<b>Code</b>		1 .. 1
<b>WCO Description</b>	Identification of the place at which the goods are destined under Customs control of transit procedure	
<b>WCO Id</b>	L008	
<b>ChangeLog</b>	0.43	Removed the mention of CL13 (Customs office database)0.43 Add Status
	R for each occurrence of the coded attribute in the CustomsOffice class	
<b>Format</b>	an..35	
<b>Status</b>	R	
<b>Consignment/TransportMeans</b>		1..unbounded
<b>WCO Description</b>	Details relating to a means of transport for transit	
<b>WCO Id</b>	29B	
<b>ChangeLog</b>	0.4	Moved the CertificateOfApproval class from the Consignment/TransportMeans level to the Consignment/ TransportEquipment level
<b>Status</b>	R	
<b>Identification</b>		1 .. 1
<b>WCO Description</b>	Identifier to identify the means of transport used for transit	
<b>WCO Id</b>	T007	
<b>SAFE information</b>	Yes	
<b>Format</b>	an..25	
<b>Status</b>	R	
<b>Type, coded</b>		1 .. 1
<b>WCO Description</b>	Means of transport used for transit, coded	
<b>WCO Id</b>	T011	
<b>Code list</b>	CL05	Transport means description code
<b>Format</b>	an..4	
<b>Status</b>	R	
<b>Nationality</b>		1 .. 1
<b>WCO Description</b>	Nationality of the active means of transport used for transit, coded	
<b>WCO Id</b>	T015	
<b>Code list</b>	CL04	Country name code
<b>SAFE information</b>	Yes	
<b>Format</b>	a2	
<b>Status</b>	R	
<b>Conveyance reference number</b>		1 .. 1
<b>WCO Description</b>	To identify a journey of a means of transport, for example voyage number, flight number, trip number	
<b>WCO Id</b>	149	
<b>SAFE information</b>	Yes	
<b>Format</b>	an..17	
<b>Status</b>	O	
<b>Consignment/TransportMeans/CountryOfRouting</b>		1..unbounded
<b>WCO Description</b>	Details of the itinerary of the means of transport	
<b>WCO Id</b>	81A	
<b>Rule</b>	R001	
<b>ChangeLog</b>	0.1	New Rule R001
<b>Status</b>	R	
<b>Sequence number</b>		1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence	
<b>WCO Id</b>	006	
<b>ChangeLog</b>	0.2	Added Sequence number to the Country of Routing class
	0.2	Not mapped to EDIFACT. Mapping to EDIFACT will be possible in the next version of the GOVCBR
<b>Format</b>	n..5	
<b>Status</b>	R	

<b>Country, coded</b>			1 .. 1
<b>WCO Description</b>	Identification of a country through which goods or passengers are routed between the country of original departure and final destination		
<b>WCO Id</b>	064		
<b>Code list</b>	CL04	Country name code	
<b>SAFE information</b>	Yes		
<b>Format</b>	a2		
<b>Status</b>	R		
<b>Consignment/TransportEquipment</b>			0..unbounded



<b>WCO Description</b>	Details of Transport equipment used for the consignment		
<b>WCO Id</b>	31B		
<b>Condition</b>	C003		
<b>ChangeLog</b>	0.1	Added new Class "TransportEquipment"	
<b>Status</b>	D		
<b>Sequence number</b>			1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence		
<b>WCO Id</b>	006		
<b>ChangeLog</b>	0.1	Added new data element	
<b>Format</b>	n..5		
<b>Status</b>	R		
<b>Size and type identification</b>			1 .. 1
<b>WCO Description</b>	Code specifying the characteristics, i.e. size and type of a piece of transport equipment		
<b>WCO Id</b>	152		
<b>Code list</b>	CL01	Equipment size and type description code	
<b>SAFE information</b>	Yes		
<b>ChangeLog</b>	0.1	Attribute moved from ConsignmentItem.TransportEquipment class.	
<b>Format</b>	an..4		
<b>Status</b>	R		
<b>Identification</b>			1 .. 1
<b>WCO Description</b>	Marks (letters and/or numbers) which identify equipment e.g. unit load device		
<b>WCO Id</b>	159		
<b>SAFE information</b>	Yes		
<b>ChangeLog</b>	0.1	Attribute also added to Consignment level	
<b>Format</b>	an..17		
<b>Status</b>	R		
<b>Consignment/TransportEquipment/CertificateOfApproval</b>			0 .. 1
<b>WCO Description</b>	Details related to additional documents supplied as part of a declaration or sought as part of a response		
<b>WCO Id</b>	02A		
<b>Condition</b>	C005		
<b>ChangeLog</b>	0.4	Moved the CertificateOfApproval class from the Consignment/TransportMeans level to the Consignment/TransportEquipment level	
<b>Status</b>	D		
<b>Number</b>			1 .. 1
<b>WCO Description</b>	Identifier of a document providing additional information		
<b>WCO Id</b>	D005		
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Issuing date</b>			1 .. 1
<b>WCO Description</b>	Date at which an additional document was issued and when appropriate, signed or otherwise authenticated		
<b>WCO Id</b>	D002		
<b>ChangeLog</b>	0.43	Change Date Time. Format Code to 102 or 208	
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Date/Time Format</b>	102 (CCYYMMDD)		
	208 (CCYYMMDDHHMMSSZHHMM)		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of an additional document		
<b>WCO Id</b>	D006		
<b>Code list</b>	CL06	Document name code	
<b>Remark</b>	Pending addition of a code, for TIR certificate of approval, against Edifact 1001 code list.		
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>Consignment/TransportEquipment/CertificateOfApproval/BinaryFile</b>			0 .. 1
<b>WCO Description</b>	A computer file or program stored in a binary format		
<b>WCO Id</b>	72B		
<b>Status</b>	O		

**Identification**

1 .. 1

**WCO Description** A unique identifier for this binary file  
**WCO Id** M001  
**Format** an..256  
**Status** R

<b>Title</b>		1 .. 1
<b>WCO Description</b>	A title, expressed as text, for this binary file	
<b>WCO Id</b>	M002	
<b>Format</b>	an..256	
<b>Status</b>	R	
<b>Author name</b>		0 .. 1
<b>WCO Description</b>	An author name, expressed as text, of this binary file	
<b>WCO Id</b>	M003	
<b>Format</b>	an..70	
<b>Status</b>	O	
<b>Version</b>		0 .. 1
<b>WCO Description</b>	A unique version identifier for this binary file	
<b>WCO Id</b>	M004	
<b>Format</b>	an..17	
<b>Status</b>	O	
<b>File name</b>		0 .. 1
<b>WCO Description</b>	A file name, expressed as text, of this binary file	
<b>WCO Id</b>	M005	
<b>Format</b>	an..256	
<b>Status</b>	O	
<b>URI</b>		0 .. 1
<b>WCO Description</b>	A unique Uniform Resource Identifier (URI) for this binary file	
<b>WCO Id</b>	M006	
<b>Format</b>	an..2048	
<b>Status</b>	O	
<b>MIME</b>		0 .. 1
<b>WCO Description</b>	A code specifying the Multipurpose Internet Mail Extensions (MIME) type for this binary file	
<b>WCO Id</b>	M007	
<b>Format</b>	an..70	
<b>Status</b>	O	
<b>Encoding</b>		0 .. 1
<b>WCO Description</b>	A code specifying the encoding of this binary file	
<b>WCO Id</b>	M008	
<b>Format</b>	an..17	
<b>Status</b>	O	
<b>Character set</b>		0 .. 1
<b>WCO Description</b>	A code specifying the character set for this binary file	
<b>WCO Id</b>	M009	
<b>Format</b>	n..17	
<b>Status</b>	O	
<b>Include binary object</b>		0 .. 1
<b>WCO Description</b>	An included binary object for this binary file	
<b>WCO Id</b>	M010	
<b>Format</b>	N/A	
<b>Status</b>	O	
<b>Access</b>		0 .. 1
<b>WCO Description</b>	Access information, expressed as text, for this binary file such as security and download parameters	
<b>WCO Id</b>	M011	
<b>Format</b>	an..256	
<b>Status</b>	O	
<b>Description</b>		0 .. 1
<b>WCO Description</b>	A textual description of this binary file	
<b>WCO Id</b>	M012	
<b>Format</b>	an..256	
<b>Status</b>	O	
<b>Size</b>		0 .. 1
<b>WCO Description</b>	A measure of the size of this binary file	
<b>WCO Id</b>	M013	
<b>Restricted code(s)</b>	AD     byte 4L     kilobyte 2P     megabyte	

<b>ChangeLog</b>	0.43	Added restricted codes 'AD', '4L and '2P' to limit the choices to only plausible values for a file size	
Format	n..16,6		
Status	O		
Attribute	Type:	<b>Measure Unit. Code</b>	
	Code List:	CL21 (Measurement unit code)	
<b>Type</b>			0 .. 1
<b>WCO Description</b>	The code specifying the type of binary file, such as photo, spreadsheet		
<b>WCO Id</b>	M014		
<b>Format</b>	an..6		
<b>Status</b>	O		
<b>Hash code</b>			0 .. 1
<b>WCO Description</b>	Hash code of the linked document		
<b>WCO Id</b>	M015		
<b>Format</b>	an..256		
<b>Status</b>	O		
<b>Hash code algorithm id</b>			0 .. 1
<b>WCO Description</b>	Code indicating the algorithm used to calculate the hash code (e.g. MD5, ..)		
<b>WCO Id</b>	M016		
<b>Format</b>	an..6		
<b>Status</b>	O		
<b>Consignment/TransportEquipment/Seal</b>			0..unbounded
<b>WCO Description</b>	A device used to secure an object and protect from unauthorized entry or tampering such as a seal affixed to a piece of transport equipment		
<b>WCO Id</b>	44B		
<b>ChangeLog</b>	0.1	Added new Seal class	
Status	O		
<b>Sequence number</b>			1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence		
<b>WCO Id</b>	006		
<b>Rule</b>	R003		
	R004		
<b>ChangeLog</b>	0.1	Not mapped to EDIFACT. Mapping to EDIFACT will be possible in the next version of the GOVCBR	
Format	n..5		
Status	R		
<b>Seal number</b>			1 .. 1
<b>WCO Description</b>	The identification number of a seal affixed to a piece of transport equipment		
<b>WCO Id</b>	165		
<b>Rule</b>	R005		
<b>SAFE information</b>	Yes		
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Seal type code</b>			0 .. 1
<b>WCO Description</b>	The code specifying the type of seal applied on a unit of transport equipment		
<b>WCO Id</b>	407		
<b>Code list</b>	CL08	Seal type code	
<b>Format</b>	an..3		
<b>Status</b>	O		

<b>Guarantee</b>		1 .. 1
<b>WCO Description</b>	Details regarding undertaking given in cash, bond or as a written guarantee to ensure that an obligation will be fulfilled, e.g. under a transit procedure	
<b>WCO Id</b>	90A	
<b>ChangeLog</b>	0.1	Cardinality between Guarantee and Declaration changed from 1 .. 1 to 1 .. unbounded. To increase flexibility
	0.1	Removed attribute "Validity"
	0.3	Status changed from Required (R) to Dependent (D).
	0.43	Added Condition C008
	0.43	Removed Condition C008
	0.43	Status changed from Dependent (D) to Required (R)
		Cardinality between Guarantee and Declaration changed back from 1 .. unbounded to 1 .. 1
<b>Status</b>	R	
<b>Reference</b>		1 .. 1
<b>WCO Description</b>	A reference number to identify the undertaking given as a written guarantee in cash, bond, or by other such means in order to ensure that an obligation will be fulfilled	

<b>WCO Id</b>	100		
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Holder</b>			1 .. 1
<b>WCO Description</b>	Details relating to a party accepting liability for goods held or moving under a Customs authorization and - when applicable – a guarantee		
<b>WCO Id</b>	28B		
<b>ChangeLog</b>	0.3	Status changed from Required (R) to Dependent (D).	
	0.43	Added Condition C008	
	0.43	Removed Condition C008	
		Status changed from Dependent (D) to Required (R).	
<b>Status</b>	R		
<b>Name</b>			0 .. 1
<b>WCO Description</b>	Name of party accepting liability for goods held or moving under a Customs authorization and - when applicable - a guarantee		
<b>WCO Id</b>	R001		
<b>Format</b>	an..70		
<b>Status</b>	O		
<b>Code</b>			1 .. 1
<b>WCO Description</b>	Identifier of party accepting liability for goods held or moving under a Customs authorization and - when applicable – a guarantee		
<b>WCO Id</b>	R002		
<b>ChangeLog</b>	0.43	Removed the mention of CL15 (Holders database)	
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Holder/Address</b>			0 .. 1
<b>WCO Description</b>	Details relating to an address		
<b>WCO Id</b>	04A		
<b>SAFE information</b>	Yes		
<b>Status</b>	O		
<b>City name</b>			1 .. 1
<b>WCO Description</b>	Name of a city		
<b>WCO Id</b>	241		
<b>Format</b>	an..35		
<b>Status</b>	R		
<b>Country, coded</b>			1 .. 1
<b>WCO Description</b>	Identification of the name of the country or other geographical entity as specified in ISO 3166 and UN/ECE Rec 3		
<b>WCO Id</b>	242		
<b>Code list</b>	CL04	Country name code	
<b>Format</b>	a2		
<b>Status</b>	R		
<b>Street and number/P.O. Box</b>			1 .. 1
<b>WCO Description</b>	Specification of the postal delivery point such as street and number or post office box		
<b>WCO Id</b>	239		
<b>Format</b>	an..256		
<b>Status</b>	R		
<b>Postcode identification</b>			1 .. 1
<b>WCO Description</b>	Code specifying a postal zone or address		
<b>WCO Id</b>	245		
<b>Format</b>	an..17		
<b>Status</b>	R		

## j. E10 – Advance TIR data results

<b>Message</b>			..
<b>WCO Description</b>	Details of the response message		
<b>WCO Id</b>	07B		
<b>ChangeLog</b>	0.1	Removed 'Sender identification' from the Data model. Is technical attribute.	
	0.43	"E10 - Advanced cargo information results" renamed as "E10 - Advance cargo information results"	
	0.43	Removed overridden note field for "Message reference number" to reflect the BIP name "Message identifier" introduced in the approved amendment of eTIR specification.	
<b>Message function, coded</b>			1 .. 1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	27	Not accepted	
	44	Accepted without reserves	
<b>ChangeLog</b>	0.2	Attribute moved from the AdvanceCargoInformation class	
<b>Format</b>	n..2		
<b>Status</b>	R		
<b>Original Message Identifier</b>			1..1
<b>WCO Description</b>	Reference number identifying a specific information exchange		
<b>WCO Id</b>	D026		
<b>Remark</b>	REFERENCE TO THE PREVIOUS MESSAGE		
<b>ChangeLog</b>	0.43	Rename 'Functional reference' to 'Original Message Identifier'.	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element "Message Reference Number" as "Message identifier"	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E10	Advance cargo information results	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types)	
	0.2	Name of CL26 changed from 'Message sub types' to 'Message types'	
		Attribute moved from the AdvanceCargoInformation class	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>AdvanceTIRData</b>			1 .. 1
<b>WCO Description</b>	This class is used for all specific Declaration information of the mentioned BIPs: - Response/Declaration - LPCO/ObligationGuarantee/Declaration - InterGov/Declaration - InterGov/ObligationGuarantee/Declaration NB: Whenever an original Declaration is send inside an InterGov or Response the whole Declaration (as sent by trade) could be included (on the level of the Base Information Package)		
<b>WCO Id</b>	N/A		
<b>ChangeLog</b>	0.43	"AdvanceCargoInformation" renamed as "AdvanceTIRData"	
<b>Status</b>	R		

<b>Acceptance date</b>		0 .. 1
<b>WCO Description</b>	Date on which a document has been or will be accepted in accordance with Governmental legislation	
<b>WCO Id</b>	023	
<b>Condition</b>	C007	
<b>ChangeLog</b>	0.3	Date format changed to an..35
	0.43	Date Time. Format. Code changed from 304 to 208
<b>Format</b>	an..35	
<b>Status</b>	D	
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM)	
<b>Message identifier</b>		1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document	
<b>WCO Id</b>	D014	
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35
	0.43	Renamed the Data element "Message Reference Number" as "Message identifier"
<b>Format</b>	an..70	
<b>Status</b>	R	
<b>Rejection date</b>		0 .. 1
<b>WCO Description</b>	Date and time when the document/message was rejected	
<b>WCO Id</b>	374	
<b>Condition</b>	C007	
<b>ChangeLog</b>	0.3	Date format changed to an..35
	0.43	Date Time. Format. Code changed from 304 to 208
<b>Format</b>	an..35	
<b>Status</b>	D	
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM)	
<b>Error</b>		0..unbounded
<b>WCO Description</b>	Details to identify data validation errors	
<b>WCO Id</b>	53A	
<b>Condition</b>	C006	
<b>ChangeLog</b>	0.1	Changed cardinality from 0..1 to 0..unbounded
<b>Status</b>	D	
<b>Error, coded</b>		1 .. 1
<b>WCO Description</b>	Code specifying a data validation error	
<b>WCO Id</b>	377	
<b>Code list</b>	CL99	Error code
<b>Format</b>	an..8	
<b>Status</b>	R	
<b>Error/Pointer</b>		1..unbounded
<b>WCO Description</b>	Details to refer to a functional attribute within a declaration	
<b>WCO Id</b>	97A	
<b>Status</b>	R	
<b>Sequence number</b>		1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence	
<b>WCO Id</b>	006	
<b>Format</b>	n..5	
<b>Status</b>	R	
<b>Location</b>		1 .. 1
<b>WCO Description</b>	Location in document in XPath syntax	
<b>WCO Id</b>	512	
<b>ChangeLog</b>	0.43	Removed the data elements; - Document/message section, coded - Tag identifier Added data element "Location"
<b>Format</b>	an..512	
<b>Status</b>	R	



## 1. E12 – Advance amendment data results

<b>Message</b>			..
<b>WCO Description</b>	Details of the response message		
<b>WCO Id</b>	07B		
<b>Message function, coded</b>			1 .. 1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	27	Not accepted	
	44	Accepted without reserves	
<b>Format</b>	n..2		
<b>Status</b>	R		
<b>Original Message Identifier</b>			1..1
<b>WCO Description</b>	Reference number identifying a specific information exchange		
<b>WCO Id</b>	D026		
<b>Remark</b>	REFERENCE TO THE PREVIOUS MESSAGE		
<b>ChangeLog</b>	0.43	Rename 'Functional reference' to 'Original Message Identifier'.	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element “Message Reference Number” as “Message identifier”	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E12	Advance Amendment Data Results	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types) Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>AdvanceAmendmentData</b>			1 .. 1
<b>WCO Description</b>	This class is used for all specific Declaration information of the mentioned BIPs: - Response/Declaration - LPCO/ObligationGuarantee/Declaration - InterGov/Declaration - InterGov/ObligationGuarantee/Declaration NB: Whenever an original Declaration is sent inside an InterGov or Response the whole Declaration (as sent by trade) could be included (on the level of the Base Information Package)		
<b>WCO Id</b>	N/A		
<b>ChangeLog</b>	0.43	"AdvanceCargoInformation" renamed as "AdvanceTIRData"	
<b>Status</b>	R		
<b>Acceptance date</b>			0 .. 1
<b>WCO Description</b>	Date on which a document has been or will be accepted in accordance with Governmental legislation		
<b>WCO Id</b>	023		
<b>Condition</b>	C007		
<b>ChangeLog</b>	0.3	Date format changed to an..35	
	0.43	Date Time. Format. Code changed from 304 to 208	
<b>Format</b>	an..35		
<b>Status</b>	D		
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM)		

<b>Message identifier</b>		1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document	
<b>WCO Id</b>	D014	
<b>ChangeLog</b>	0.2      Format changed from an..14 to an..35	
	0.43      Renamed the Data element “Message Reference Number” as “Message identifier”	
<b>Format</b>	an..70	
<b>Status</b>	R	
<b>Rejection date</b>		0 .. 1
<b>WCO Description</b>	Date and time when the document/message was rejected	
<b>WCO Id</b>	374	
<b>Condition</b>	C007	
<b>ChangeLog</b>	0.3      Date format changed to an..35	
	0.43      Date Time. Format. Code changed from 304 to 208	
<b>Format</b>	an..35	
<b>Status</b>	D	
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM)	
<b>Error</b>		0..unbounded
<b>WCO Description</b>	Details to identify data validation errors	
<b>WCO Id</b>	53A	
<b>Condition</b>	C006	
<b>ChangeLog</b>	0.1      Changed cardinality from 0..1 to 0..unbounded	
<b>Status</b>	D	
<b>Error, coded</b>		1 .. 1
<b>WCO Description</b>	Code specifying a data validation error	
<b>WCO Id</b>	377	
<b>Code list</b>	CL99      Error code	
<b>Format</b>	an..8	
<b>Status</b>	R	

<b>Error/Pointer</b>			1..unbounded
<b>WCO Description</b>	Details to refer to a functional attribute within a declaration		
<b>WCO Id</b>	97A		
<b>Status</b>	R		
<b>Sequence number</b>			1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence		
<b>WCO Id</b>	006		
<b>Format</b>	n..5		
<b>Status</b>	R		
<b>Location</b>			1 .. 1
<b>WCO Description</b>	Location in document in XPath syntax		
<b>WCO Id</b>	512		
<b>ChangeLog</b>	0.43	Removed the data elements; - Document/message section, coded - Tag identifier Added data element "Location"	
<b>Format</b>	an..512		
<b>Status</b>	R		

m. E13 – Cancel advance data

**Message**

**WCO Description** Any statement or action, in any form prescribed or accepted by the Governmental Agency, giving information or particulars required by the Governmental Agency ..

**WCO Id** 42A

**Message function, coded**

1 .. 1

**WCO Description** Code indicating the function of a document

**WCO Id** 017

**Code list** CL16 Message function code

**Restricted code(s)** 1 Cancellation

**Format** n..2

**Status** R

**Original Message Identifier**

1..1

**WCO Description** Reference number identifying a specific information exchange

**WCO Id** D026

**ChangeLog** 0.3 Added 'Functional reference' to allow Declaration updates and cancellations to make reference to the original

0.43 Declaration.

Rename 'Functional reference' to 'Original Message Identifier'.

**Format** an..70

**Status** R

**Message identifier**

1 .. 1

**WCO Description** Reference number identifying a specific document

**WCO Id** D014

**ChangeLog** 0.2 Format changed from an..14 to an..35

0.43 Renamed the Data element “Message Reference Number” as “Message identifier”

**Format** an..70

**Status** R

**Type, coded**

1 .. 1

**WCO Description** Code specifying the name of a document

**WCO Id** D013

**Code list** CL26 Message type

**Restricted code(s)** E13 Cancel Advance Data

**ChangeLog** 0.1 CL06 (Document name code) replaced by CL26 (Message types)

Name of CL26 changed from 'Message sub types' to 'Message types'

**Format** an..3

**Status** R

n. E14 – Cancel advance data results

<b>Message</b>			..
<b>WCO Description</b>	Details of the response message		
<b>WCO Id</b>	07B		
<b>Message function, coded</b>			1 .. 1
<b>WCO Description</b>	Code indicating the function of a document		
<b>WCO Id</b>	017		
<b>Code list</b>	CL16	Message function code	
<b>Restricted code(s)</b>	27	Not accepted	
	44	Accepted without reserves	
<b>Format</b>	n..2		
<b>Status</b>	R		
<b>Original Message Identifier</b>			1..1
<b>WCO Description</b>	Reference number identifying a specific information exchange		
<b>WCO Id</b>	D026		
<b>Remark</b>	REFERENCE TO THE PREVIOUS MESSAGE		
<b>ChangeLog</b>	0.43	Rename 'Functional reference' to 'Original Message Identifier'.	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element “Message Reference Number” as “Message identifier”	
<b>Format</b>	an..70		
<b>Status</b>	R		
<b>Type, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying the name of a document		
<b>WCO Id</b>	D013		
<b>Code list</b>	CL26	Message type	
<b>Restricted code(s)</b>	E14	Cancel Advance Data Results	
<b>ChangeLog</b>	0.1	CL06 (Document name code) replaced by CL26 (Message types) Name of CL26 changed from 'Message sub types' to 'Message types'	
<b>Format</b>	an..3		
<b>Status</b>	R		
<b>AdvanceData</b>			1 .. 1
<b>WCO Description</b>	This class is used for all specific Declaration information of the mentioned BIPs: - Response/Declaration - LPCO/ObligationGuarantee/Declaration - InterGov/Declaration - InterGov/ObligationGuarantee/Declaration NB: Whenever an original Declaration is sent inside an InterGov or Response the whole Declaration (as sent by trade) could be included (on the level of the Base Information Package)		
<b>WCO Id</b>	N/A		
<b>ChangeLog</b>	0.43	"AdvanceCargoInformation" renamed as "AdvanceTIRData"	
<b>Status</b>	R		
<b>Acceptance date</b>			0 .. 1
<b>WCO Description</b>	Date on which a document has been or will be accepted in accordance with Governmental legislation		
<b>WCO Id</b>	023		
<b>Condition</b>	C007		
<b>ChangeLog</b>	0.3	Date format changed to an..35	
	0.43	Date Time. Format. Code changed from 304 to 208	
<b>Format</b>	an..35		
<b>Status</b>	D		
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM)		
<b>Message identifier</b>			1 .. 1
<b>WCO Description</b>	Reference number identifying a specific document		
<b>WCO Id</b>	D014		
<b>ChangeLog</b>	0.2	Format changed from an..14 to an..35	
	0.43	Renamed the Data element “Message Reference Number” as “Message identifier”	
<b>Format</b>	an..70		

<b>Status</b>	R		
<b>Rejection date</b>			0 .. 1
<b>WCO Description</b>	Date and time when the document/message was rejected		
<b>WCO Id</b>	374		
<b>Condition</b>	C007		
<b>ChangeLog</b>	0.3	Date format changed to an..35	
	0.43	Date Time. Format. Code changed from 304 to 208	
<b>Format</b>	an..35		
<b>Status</b>	D		
<b>Date/Time Format</b>	208 (CCYYMMDDHHMMSSZHHMM)		
<b>Error</b>			0..unbounded
<b>WCO Description</b>	Details to identify data validation errors		
<b>WCO Id</b>	53A		
<b>Condition</b>	C006		
<b>ChangeLog</b>	0.1	Changed cardinality from 0..1 to 0..unbounded	
<b>Status</b>	D		
<b>Error, coded</b>			1 .. 1
<b>WCO Description</b>	Code specifying a data validation error		
<b>WCO Id</b>	377		
<b>Code list</b>	CL99	Error code	
<b>Format</b>	an..8		
<b>Status</b>	R		
<b>Error/Pointer</b>			1..unbounded
<b>WCO Description</b>	Details to refer to a functional attribute within a declaration		
<b>WCO Id</b>	97A		
<b>Status</b>	R		
<b>Sequence number</b>			1 .. 1
<b>WCO Description</b>	Number indicating the position in a sequence		
<b>WCO Id</b>	006		
<b>Format</b>	n..5		
<b>Status</b>	R		
<b>Location</b>			1 .. 1
<b>WCO Description</b>	Location in document in XPath syntax		
<b>WCO Id</b>	512		
<b>ChangeLog</b>	0.43	Removed the data elements; - Document/message section, coded - Tag identifier Added data element "Location"	
<b>Format</b>	an..512		
<b>Status</b>	R		