

Liberté Égalité Fraternité

French carbon footprint – calculation improvement planned

- 1.Institutional context
- 2. Current calculation method
- 3. Upcoming work program (including the possibility of using MRIO data)

Aug. 2021

1



1. Institutional context



An indicator developed by France's Ministry of ecological transition for environmental information purposes

□2009 -2010 : Methodological development of carbon footprint calculation and 1st publications

https://www.statistiques.developpement-durable.gouv.fr/



Données et études statistiques

Pour le changement climatique, l'énergie, l'environnement, le logement, et les transports








Comparison of carbon footprint and national inventory in 2016





GHGs considered: CO₂, le CH₄ et le N₂O

Geographical coverage: France + Overseas territories


Source: Citepa, Eurostat, Insee, AIE, FAO.

Calculation: SDES, 2020.




Calculation: SDES, 2020.

Estimated evolution of the carbon footprint 1995 - 2019





Breakdown of carbon footprint by type of consumption in 2016.





Now a popular indicator for monitoring public policies

□2015 : loi « Eva SAS » : a law aimed at taking into account the new wealth indicators in the definition of public policies -> since 2015 annual production of the carbon footprint indicator in France in order to meet a legal requirement .
□Since 2015, the carbon footprint has been taken into account in the monitoring of national policies: □Sustainable Development Goals indicators; 1 st edition of the National Low Carbon Strategy (SNBC)
□The law of November 9, 2019 on Energy and Climate □foresees for indicative limits for France's carbon footprint , to be set in the SNBC , and to be respected □(deadline for determining the limits: 01/01/2023)
□Even if these footprint-related objectives are only indicative, it is now recognized that there is a trend towards greater use of the footprint as an indicator for monitoring and evaluating public policies.

7



2. Current calculation method

The most recent edition of the methodological document is currently available in French only

Manuel Baude, Jean-Louis Pasquier (2020), *Méthodologie de calcul de l'empreinte carbone de la demande finale intérieure française*. Commissariat Général du Développement durable – Service des données et études statistiques – Document de travail, Décembre 2020.

https://www.statistiques.developpement-durable.gouv.fr/lempreinte-carbone-des-francais-restestable?rubrique=27&dossier=1286

One of the 1st paper published in english contains a summary of the methodology, data sources have changed but the approach is the same

Fabrice Lenglart, Christophe Lesieur, Jean-Louis *Pasquier (2010), CO₂ emissions from the economic circuit in France. L'économie française - Comptes et dossiers - Insee Références - Édition 2010, Insee Références <u>https://www.insee.fr/en/statistiques/1372484?sommaire=1372493</u>*



Calculating France's carbon footprint

□Methodological concept : □ □	allocating GHG emissions to the domestic final demand (goods and services consumed by a the population of a country regardless of the geographical origin of these emissions)	
□Three components:		
·	□Households' direct emissions (transport, housing)	
	□Emissions from domestic production (excluding exports)	
	□Emissions embodied in imports	
□ No international conventions or standards for its calculation.		
⊒Environmentally extended input-output calculation		



Calculation overview: « detailed estimates » up to N-4 (1/3)

- □ CO₂, CH₄ and N₂O: three of the seven greenhouse gases are taken into account in the calculation of the footprint, representing around 95% of total of GHG emissions in terms of GWP₁₀₀.
- Household Emissions: Air Emissions Accounts Data (MTE/Citepa)
- □ <u>Domestic production emissions</u>:
 Input Output calculation using France's symmetrical input-output tables (Insee/Eurostat) air emissions accounts (MTE/Citepa), both broken down into **A64 industries**

$$E^{d} = \langle e_{j}^{d} \rangle . \left[I - A^{d} \right]^{-1} . \langle DF^{d} \rangle$$


 $\mathbf{E^d}$ are the GHG from the domestic production attributed to the domestic final demand e^d_j are the GHG intensities of the production by industries $\left[I-A^d\right]^{-1}$ is Leontief inverse matrix, where A^d is the matrix of the domestic technical coefficients

DF^d is the final demand



Calculation overview: « detailed estimates » up to N-4 (2/3)

- □ Emissions from imports from the EU:
 □ Same input-output calculation using
 □ the EU symmetrical IOT (Eurostat)
 □ EU air emissions accounts (Eurostat)
 □ both broken down into A64 industries
- □distinguishing imports for **final use** from imports associated with **intermediate consumption**





Calculation overview: « detailed estimates » up to N-4 (3/3)

□<u>Emissions from **non-EU imports**:</u>

Split into 9 foreign zones (fz)

GHG intensities of industries are adjusted according to the relative difference between the intensity of the EU and

that of the area concerned (Sources: IEA and FAO)

- •CO₂ intensity of electricity production
- •CH₄ or N₂O intensity of agriculture
- •GHG intensity of GDP for other industries

$$E^{m.ue} = \langle e_j^{fz} \rangle. [I - A^{ue}]^{-1}. [A^m]. [I - A^d]^{-1}. \langle DF^d \rangle + \langle e_j^{fz} \rangle. [I - A^{ue}]^{-1}. \langle DF^m \rangle$$

GHG content of Foreing zones' products

Imports embodied in the domestic production

Domestic final demand (i.e. excluding exports)

Imported final demand



Calculation overview: « preliminary estimates »

Given the unavailability of some data for recent years, a methodology for producing preliminary estimates was developed. The calculation is based on the last available detailed calculation (year N-4).

□Direct household emissions Data from GHG emissions accounts available □Emissions from domestic production Input-output calculation based on the latest detailed calculation (N-4) Adjustment: domestic final demand () domestic GHG intensity of the industries () The structure of the intermediate consumption remain unchanged () □Emissions associated with imports Input-output calculation based on the latest detailed calculation (N-4) Adjustment: domestic final demand () imported final demand () foreign GHG intensity of the industries (and) The structure of the intermediate consumption remain unchanged (and)



3. Upcoming work program (including the possibility of using MRIO data)



Upcoming work program

□Reminder: At this stage there is no regulatory objective linked to the calculation of the footprint.	This being said, by
2023 the footprint will be used to define targets for indicative GHG emissions limits.	

- □A working group has been set up on the carbon footprint methodology, which should be completed in the fall of 2021 in order to make the current methodology more robust.
 - •Short term first priority: improve the estimation of the imported carbon footprint.
 - ■Medium term priority: improve the "provisional" calculation (working with fresher data).
 - Long term priority: investigate whether, and how to use MRIO database and, if any, which one?
- □Helping tool: use of Avionic (see last slide for more details):
 - The model is based on French symmetric input-output tables and propose three types of modeling
 - ■The source code and detailed documentation of the model are available on github.



Focus on the improvement of imported carbon footprint

□Possible ways to improve the calculation of the imported carbon footprint: **brainstorming stage**


- a) by reproducing the current model to which new inputs are integrated: fall of 2021 in order to make the current methodology more robust.
 - by subdividing EU IOT with other IOT relevant for the different foreign zones
 enables the use of tables of technical coefficients specific to each geographical area
 but does not make it possible to find the geographical locations of the value chains
 - ■by mobilizing data from a MRIO databse (MRIO in structure? geographical groupings? GHG intensities?)
- b) by using a MRIO model only for the imported carbon footprint
 - •make it possible to find the geographical locations of the value chains.

□Conclusion: a better understanding of the international databases is needed to enable their use in the calculation of the French carbon footprint



Current french method vs multi-regional input-output model

Import estimates in the current French methodology



Import estimates with a MRIO model

