

Classification Framework


3 criteria



- Based on 3 fundamental criteria
 - Environmental-socio-economic viability
 - Technical feasibility
 - Degree of confidence

Why 3 criteria?

To be viable a project must be ...





Project Maturity and Confidence in Estimates

Coding based on the 3 criteria


Environmental-socio-Technical feasibility Degree of economic feasibility confidence **F1 G1 E1** G2 **F2 E2** G3 **F3 E3** G4 F4



Categories and Classes

Codification

Classes



DEGREE OF CONFIDENCE


E axis

G axis categories

categories

Category definitions

E axis





E axis category definitions

Degree of favourability of environmental, social and economic conditions in establishing viability


- Includes consideration of market prices and relevant legal, regulatory, social, environmental and contractual conditions
- E1 is "best"

Category	Definition				
E1	Development and operation are confirmed to be environmentally-socially-economically viable.				
E2	Development and operation are expected to become environmentally-socially-economically viable in the foreseeable future.				
E3	Development and operation are not expected to become environmentally-socially-economically viable in the foreseeable future or evaluation is at too early a stage to determine environmental-socio-economic viability.				

Definitions should always be read in conjunction with supporting explanation (see UNFC 2019)

Category definitions

F axis



F axis category definitions

Maturity of technology, studies and commitments necessary to implement the project


 Projects range from early conceptual studies through to a fully developed project that is producing

F1 is "best' Category	Definition
F1	Technical feasibility of a development project has been confirmed.
F2	Technical feasibility of a development project is subject to further evaluation.
F3	Technical feasibility of a development project cannot be evaluated due to limited technical data.
F4	No development project has been identified.

Definitions should always be read in conjunction with supporting explanation (see UNFC 2019)

Category definitions

G axis





G axis category definitions

Degree of confidence in the estimate of the quantities of products from the project


 Projects range from early conceptual studies through to a fully developed project that is producing

Category	nest confidence" Definition				
G1	Product quantity associated with a project that can be estimated with a high level of confidence.				
G2	Product quantity associated with a project that can be estimated with a moderate level of confidence.				
G3	Product quantity associated with a project that can be estimated with a low level of confidence.				
G4	Product quantity associated with a Prospective Project, estimated primarily on indirect evidence.				

Definitions should always be read in conjunction with supporting explanation (see UNFC 2019)

UNFC

How it works






Book and	Sold or used production				
Produced	Production which is unused or consumed in operations ^a				
	Class	Minimum Categories			
	Class	E	F	G ^b	
The project's environmental-socio- economic viability and technical feasibility has been confirmed	Viable Projects ^c	1	1	1, 2, 3	
The project's environmental-socio-	Potentially Viable Projects ^d	2 ^e	2	1, 2, 3	
economic viability and/or technical feasibility has yet to be confirmed	Non-Viable Projects ^f	3	2	1, 2, 3	
Remaining products not developed from identified projects ^g		3	4	1, 2, 3	
There is insufficient information on the source to assess the project's environmental-socio-economic viability and technical feasibility	Prospective Projects	3	3	4	
Remaining products not developed from prospective projects ^g		3	4	4	

UNFC

2D or 3D representation



Refer to UNFC (2019) Fig 2, for important explanatory notes



Total Products

UNFC Classes Defined by Categories and Sub-categories							
	Produced	Sold or used production					
		Production which is unused or consumed in operations					
		Class Sub-class		Categories			
		Class	Sub-class	E	F	G	
	Known Sources	Viable Projects	On Production	1	1.1	1, 2, 3	
Total Products			Approved for Development	1	1.2	1, 2, 3	
			Justified for Development	1	1.3	1, 2, 3	
		Potentially Viable Projects	Development Pending	2 ^b	2.1	1, 2, 3	
			Development On Hold	2	2.2	1, 2, 3	
		Non-Viable Projects	Development Unclarified	3.2	2.2	1, 2, 3	
			Development Not Viable	3.3	2.3	1, 2, 3	
		Remaining p from identifi	roducts not developed ed projects	3.3	4	1, 2, 3	
	Potential Sources	Prospective Projects	[No sub-classes defined]	3.2	3	4	
			roducts not developed ctive projects	3.3	4	4	

UNFC

Sub-categories and classes provide more resolution

Refer to UNFC (2019) Fig 3, for important explanatory notes



UNFC Summary

- UNFC-2019 is a generic, principles-based system
 - Applicable to solid minerals, anthropogenic resources, and a wide range of renewable and non-renewable resources
- Based on three fundamental criteria
 - Environmental-socio-economic viability
 - Technical feasibility
 - Degree of confidence
- Each criterion is sub-divided into 3 or 4 defined categories
 - Optional use of sub-categories for more granularity
 - Numerical category or sub-category for E, for F and for G
 - Axis letters can be dropped: e.g. Class 221
- Consistent classification depends on careful application of category definitions
 - Definitions should always be read in conjunction with supporting explanation



Thank you!

Alistair Jones Visiting Professor, Imperial College, UK

UNECE

Date 02 I 02 I 2022, Geneva





