

**Economic and Social Council**Distr.: General  
9 January 2023

Original: English

---

**Economic Commission for Europe**

Inland Transport Committee

**World Forum for Harmonization of Vehicle Regulations****Working Party on General Safety Provisions****125th session**

Geneva, 27–31 March 2023

Item 12 of the provisional agenda

**Consolidated Resolution on the Construction of Vehicles****Proposal for Amendments to the Consolidated Resolution on  
the Construction of Vehicles****Submitted by the experts from International Body and Trailer Building  
Industry and European Association of Automotive Suppliers \***

The text below was prepared by the experts from the International Body and Trailer Building Industry (CLCCR) and European Association of Automotive Suppliers (CLEPA) to amend the Consolidated Resolution on the Construction of Vehicles (R.E.3). It is based on GRSG-124-12 that was distributed at the 123rd session of the Working Party on General Safety (GRSG). It supersedes ECE/TRANS/WP.29/GRSG/2022/17 and improves its language without changing the meaning of the definitions. The modifications to the current text of the R.E.3 are marked in bold for new or strikethrough for deleted characters.

---

\* In accordance with the programme of work of the Inland Transport Committee for 2023 as outlined in proposed programme budget for 2023 (A/77/6 (Sect. 20), table 20.6), the World Forum will develop, harmonize and update UN Regulations in order to enhance the performance of vehicles. The present document is submitted in conformity with that mandate.

## I. Proposal

*Paragraph 1.5.*, amend to read:

- "1.5. "Trailer" means any non-self propelled vehicle, which is designed and constructed to be towed by a power driven vehicle and includes semi-trailers. **However, the trailer may be propelled to support the motion without applying propelling forces when not coupled to a towing vehicle.**"

*Paragraph 1.8.*, amend to read:

- "1.8. "Road tractor" means a road motor vehicle designed, exclusively or primarily, to haul other road vehicles which are not **self-propelled** (mainly semi-trailers)."

*Paragraphs 2.4.5.1. to 2.4.5.3.*, amend to read:

- "2.4.5.1. "Semi-trailer": A ~~towed~~ **towable** vehicle, in which the axle(s) is (are) positioned behind the centre of gravity of the vehicle (when uniformly loaded), and which is equipped with a connecting device permitting horizontal and vertical forces to be transmitted to ~~the~~ a towing vehicle. One or more of the axles may be driven **to support** by the towing vehicle, **and a contribution to the propelling forces of the vehicle combination is permitted at all speeds. To ensure the stability of the vehicle combination, the propelling forces of the semi-trailer shall not exceed those of the towing vehicle at speeds above [15 km/h].**
- 2.4.5.2. "Full trailer": A ~~towed~~ **towable** vehicle having at least two axles, and equipped with a towing device which can move vertically (in relation to the trailer) and controls the direction of the front axle(s), but which transmits no significant static load to the towing vehicle. One or more of the axles may be driven **to support** by the towing vehicle, **and a contribution to the propelling forces of the vehicle combination is permitted at all speeds. To ensure the stability of the vehicle combination, the propelling forces of the semi-trailer shall not exceed those of the towing vehicle at speeds above [15 km/h].**
- 2.4.5.3. "Centre-axle trailer": A ~~towed~~ **towable** vehicle, equipped with a towing device which cannot move vertically (in relation to the trailer) and in which the axle(s) is (are) positioned close to the centre of gravity of the vehicle (when uniformly loaded) such that only a small static vertical load, not exceeding 10 per cent of that corresponding to the maximum mass of the trailer or a load of 1,000 daN (whichever is the lesser) is transmitted to the towing vehicle. One or more of the axles may be driven **to support** by the towing vehicle, **and a contribution to the propelling forces of the vehicle combination is permitted at all speeds. To ensure the stability of the vehicle combination, the propelling forces of the semi-trailer shall not exceed those of the towing vehicle at speeds above [15 km/h].**"

## II. Justification

1. A significant reduction of CO<sub>2</sub> emissions induced by the transport sector worldwide is needed to deal with climate change. The transport sector is an important CO<sub>2</sub> emitter after the energy sector and other industry branches. Therefore, stringent goals for heavy duty vehicles are defined to limit the CO<sub>2</sub> emissions. These ambitious goals will have a major influence on the future design of trucks and trailers on roads, and it will significantly change the type of propulsion for such vehicle combinations. For example, directive 2019/1242 of the European Union describes the provisions to reduce CO<sub>2</sub> emissions for heavy duty



"towed vehicle" and in some cases to be "non-self-propelled". The current definition might lead to misunderstandings in the case that one or more trailer axles may be driven by a type of propulsion integrated into the trailer (e.g. electric engine) in combination with the motor vehicle. A clarification of some definitions in the UN regulatory framework would be helpful to avoid different interpretations of type approval authorities worldwide.

Paragraph 1.5.:

"However, the trailer may be propelled to support the trailer's motion but shall not apply motive power without being coupled to a towing vehicle." – The trailer shall always be a part of the vehicle combination and shall not be used as a self-driving vehicle. Nevertheless, a trailer/semi-trailer may be a propelled vehicle as long the trailer/semi-trailer is designed to be a towed vehicle under normal driving conditions, and propelling forces of the trailer contribute to the overall propelling forces of the towing vehicle during motion. The application of forces to the motion of the trailer depends on the coupling status.

Paragraphs 2.4.5.1. to 2.4.5.3.:

"A contribution to the propelling forces of the vehicle combination is permitted at all speeds. To ensure the stability of the vehicle combination, the propelling forces of the semi-trailer shall not push the towing vehicle in longitudinal direction at speeds above [15 km/h]." – A type of propulsion in the trailer maybe active over the full range of speed for this vehicle combination as long as the stability is not negatively affected. Furthermore, the trailer may push the towing vehicle in low-speed manoeuvres up to 15 km/h, e.g. support of stop-start manoeuvres.

..."

Remark:

Paragraph 1.5.: "...constructed to be towed by a power driven vehicle" – The wording "power driven" is not correct for vehicle combinations with more than one trailer, e.g. modular vehicle combinations. This wording maybe deleted.

---