15 February 2023

# Agreement

Concerning the Adoption of Harmonized Technical United Nations Regulations for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these United Nations Regulations\*

(Revision 3, including the amendments which entered into force on 14 September 2017)

Addendum 48 – UN Regulation No. 49

**Revision 8 - Amendment 1** 

Supplement 1 to the 07 series of amendments – Date of entry into force: 4 January 2023


Uniform provisions concerning the measures to be taken against the emission of gaseous and particulate pollutants from compressionignition engines and positive ignition engines for use in vehicles

This document is meant purely as documentation tool. The authentic and legal binding text is: ECE/TRANS/WP.29/2022/74.



## **UNITED NATIONS**

Agreement concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958 (original version); Agreement concerning the Adoption of Uniform Technical Prescriptions for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these Prescriptions, done at Geneva on 5 October 1995 (Revision 2).





<sup>\*</sup> Former titles of the Agreement:

Throughout Annexes 2A, 2B, 2C and Appendix 2 to Annex 13 and their corresponding Table of Contents entries, replace "06 series" by "07 series"

Annex 2A, Addendum

Table 7, amend to read:

Test number	1	2	3	4	5	6	7	

Measured engine speed (rpm)

Measured fuel flow (g/h)

Measured torque (Nm)

Measured power (kW)

Barometric pressure (kPa)

Water vapour pressure (kPa)

Intake air temperature (K)

Power correction factor

Corrected power (kW)

Auxiliary power (kW)1

Net power (kW)

Net torque (Nm)

Corrected specific fuel consumption (g/kWh)

#### Annex 2B

Section II, amend to read:

#### "Section II

- 1. Additional information (where applicable): see Addendum
- 2. Technical Service responsible for carrying out the tests
- 3. Date of test report
- 4. Number of test report
- 5. Remarks (if any): see Addendum
- 6. Place
- 7. Date
- 8. Signature

Attachments: Information package.

Test report."

#### Annex 2B

Final paragraph, amend to read:

"In the case of an extension to the type approval of a vehicle with a reference mass exceeding 2,380 kg but not exceeding 2,610 kg, the reporting of the  $CO_2$  emissions (g/km) and fuel consumption (l/100 km) shall be included in accordance with Appendix 1 to Annex 12."

Insert a new Addendum, to read:

# "Addendum to type approval communication No ... concerning the type approval of a vehicle type with an approved engine with regard to the emission of pollutants emissions pursuant to Regulation No. 49, 07 series of amendments

1.	Additional information
1.1.	Particulars to be completed in relation to the type approval of a vehicle with ar approved engine installed
1.1.1.	Make of engine (name of undertaking)
1.1.2.	Type and commercial description (mention any variants)
1.1.3.	Manufacturer's code as marked on the engine
1.1.4.	Category of vehicle
1.1.5.	Category of engine: Diesel/Petrol/LPG/NG-H/NG-L/NG-HL/Ethanol (ED95). Ethanol (E85)/dual-fuel (¹)
1.1.5.1.	Type of dual-fuel engine: Type 1A/Type 1B/Type 2A/Type 2B/Type 3B $(^1)$ $(^{df}$
1.1.6.	Name and address of manufacturer
1.1.7.	Name and address of manufacturer's authorised representative (if any)
1.2.	Vehicle
1.2.1.	Type approval number of the engine/engine family (1)
1.2.2.	Engine Control Unit (ECU) software calibration number
1.3.	Particulars to be completed in relation to the type approval of an engine/engine family (1) as a separate technical unit (conditions to be respected in the installation of the engine on a vehicle)
1.3.1.	Maximum and/or minimum intake depression
1.3.2.	Maximum allowable back pressure
1.3.3.	Exhaust system volume

<sup>&</sup>lt;sup>1</sup> Delete where not applicable (there are cases where nothing needs to be deleted when more than one entry is applicable)

df Dual fuel engines

## 1.3.4. Restrictions of use (if any)

1.4. Emission levels of the engine/parent engine (1)

Deterioration Factor (DF): calculated/fixed (1)

Specify the DF values and the emissions on the WHSC (if applicable) and WHTC tests in the table below.

In case of engines tested on different reference fuels, the tables shall be reproduced for each reference fuel tested.

In case of Type 1B and Type 2B dual-fuel engines, the tables shall be reproduced for each mode tested (dual-fuel and diesel modes).

## 1.4.1. WHSC test

Table 4
WHSC test

	WHSC test (if a	WHSC test (if applicable) *,**									
DF Mult/add <sup>(1)</sup>	СО	THC	NHMC (†)	NO <sub>X</sub>	PM Mass	NH <sub>3</sub>	PM Number				
Emissions	CO (mg/kWh)	THC (mg/kWh)	NHMC (†) (mg/kWh)	NOx (mg/kWh)	PM Mass (mg/kWh)	NH <sub>3</sub>	PM Number (#/kWh)				
Test result											
Calculated with DF											
CO <sub>2</sub> emissions (mass emission, g/kWh)											

CO<sub>2</sub> emissions (mass emission, g/kWh)

## 1.4.2. WHTC Test

Table 5 WHTC Test

	WHTC test							
DF Mult/add <sup>1</sup>	СО	THC	NMHC (‡)	CH <sub>4</sub> (‡)	NOx	PM Mass	NH <sub>3</sub>	PM Number
Emissions	CO (mg/kWh)	THC (mg/kWh)	NMHC (‡) (mg/kWh)	CH <sub>4</sub> (‡) (mg/kWh)	NO <sub>x</sub> (mg/kWh)	PM Mass (mg/kWh)	NH <sub>3</sub>	PM Number
Cold start								
Hot start w/o regeneration								
Hot start with regeneration <sup>1</sup>								
$k_{r,u} (mult/add)^1$ $k_{r,d} (mult/add)^1$								
Weighted test result								
Final test result with DF								

CO<sub>2</sub> emissions (d) (mass emission, g/kWh)

Fuel consumption (d) (g/kWh)

Fuel consumption (d) (g/kWh)

<sup>\*</sup> In the case of engines considered in paragraphs 4.6.3. and 4.6.6. of this Regulation, repeat the information for all fuels tested, when applicable.

<sup>\*\*</sup> In the case of dual-fuel engines of Type 1B, Type 2B, and type 3B, types as defined in Annex 15 to this Regulation, repeat the information in both dual-fuel and diesel mode.

<sup>†</sup> In the cases laid down in Table 1 of Annex 15 to this Regulation for dual-fuel engines, and for positive ignition engines

<sup>‡</sup> In the cases laid down in Table 1 of Annex 15 to this Regulation for dual-fuel engines, and for positive ignition engines.

<sup>&</sup>lt;sup>d</sup> When required by this Regulation.

## 1.4.3. Idle test

# Table 6

## **Idle test**

Test	CO value (%vol)	$Lambda^{I}$	Engine speed (min <sup>-1</sup> )	Engine oil temperature (°C)
Low idle test		N/A		
High idle test				

# 1.4.4. PEMS demonstration test

## Table 6a

## **PEMS** demonstration test

Vehicle type (e.g. M <sub>3</sub> , N <sub>3</sub> and application e.g. rigid or articulated truck, city bus)							
Vehicle description (e.g. vehicle model, prototype)							
Pass Fail Results <sup>2</sup> :	СО	THC	NMHC	CH <sub>4</sub>	NOx	PM number	
Work window conformity factor <sup>5</sup>							
CO <sub>2</sub> mass window conformity factor <sup>5</sup>							
Trip information:	Urban		Rural	Rural		Motorway	
Shares of time of the trip characterised by urban, rural and motorway operation as described in paragraph 4.5. of Annex 8							
Shares of time of the trip characterised by accelerating, decelerating, cruising and stop as described in paragraph 4.5.5. of Annex 8							
	Minim	ım		Maximum			
Work window average power (%)							
CO <sub>2</sub> mass window duration (s)							
Work window: percentage of valid windows							
CO <sub>2</sub> mass window: percentage of valid windows		·					
Fuel consumption consistency ratio							

<sup>&</sup>lt;sup>5</sup> CF<sub>final</sub> needs to be stated, if applicable

# 1.5. Power measurement

# 1.5.1. Engine power measured on test bench

<sup>&</sup>lt;sup>2</sup> Delete as appropriate.

Table 7				
<b>Engine power</b>	measured	on	test	bench

Test number		1	2	3	4	5	6	7
Measured 6	engine speed (rpm	.)						
Measured f	fuel flow (g/h)							
Measured t	orque (Nm)							
Measured 1	power (kW)							
Barometric	pressure (kPa)							
Water vapo	our pressure (kPa)							
Intake air t	emperature (K)							
Power corr	ection factor							
Corrected 1	power (kW)							
Auxiliary p	oower (kW) <sup>1</sup>							
Net power	(kW)							
Net torque	(Nm)							
	specific fuel on (g/kWh)							
1.5.2.	Additional data	a						
1.6.	Special provisi	ions						
1.6.1.	Granting appr Regulation)	ovals f	or vehic	les for e	export (s	ee parag	graph 13.	4.1. of this
1.6.1.1.	Approvals gra Yes/No ( <sup>2</sup> )	inted fo	or vehicl	es for e	export in	line wi	th parag	raph 1.6.1.:
1.6.1.2.	Provide a desc series of amend to which this a	dments	of this Re					
1.6.2.	Replacement Regulation)	engines	for vel	nicles in	use (se	e parag	raph 13.4	4.2. of this
1.6.2.1.	Approvals graparagraph 1.6.		_	ment en	gines for	vehicle	s in use	in line with

1.7. Alternative approvals (see Annex 9A, paragraph 2.4.)

1.6.2.2.

applies

- 1.7.1. Alternative approvals granted in line with paragraph 1.7.: Yes/No (²)
- 1.7.2. Provide a description of alternative approvals in line with paragraph 1.7.1. "

Provide a description of approvals for replacement engines for vehicles in use granted in paragraph 1.6.2.1. including the series of amendments of this Regulation and the level of emission requirements to which this approval

#### Annex 2C

Final paragraph, amend to read:

"In the case of an extension to the type approval of a vehicle with a reference mass exceeding 2,380 kg but not exceeding 2,610 kg, the reporting of the  $CO_2$  emissions (g/km) and fuel consumption (l/100 km) shall be included in accordance with Appendix 1 to Annex 12. "

Addendum, Table 7, amend to read:

"

Test number	1	2	3	4	5	6	7

Measured engine speed (rpm)

Measured fuel flow (g/h)

Measured torque (Nm)

Measured power (kW)

Barometric pressure (kPa)

Water vapour pressure (kPa)

Intake air temperature (K)

Power correction factor

Corrected power (kW)

Auxiliary power (kW)1

Net power (kW)

Net torque (Nm)

Corrected specific fuel consumption (g/kWh)

Table 1, amend to read:

,,

Charac ter	$NO_x OTL^I$	PM OTL <sup>2</sup>	CO OTL <sup>6</sup>	IUPR <sup>13</sup>	Reagen t quality	Additio nal OBD monitor s <sup>12</sup>	Power threshold requiremen ts <sup>14</sup>	Cold start and PM numb er	Implementat ion dates: new types	Date when Contracti ng Parties may refuse type approval
A <sup>9 10</sup> B <sup>10</sup>	Row "phase-in period" of Tables 1	Performan ce monitoring	N/A	Phase- in <sup>7</sup>	Phase- in <sup>4</sup>	N/A	20%	N/A	27 January 2013	01 Septembe r 2015 <sup>9</sup>

<sup>&</sup>quot;Annex 3

	and 2 of Annex 9A									31 Decembe r 2016 <sup>10</sup>
Е	Row "general requiremen ts" of Tables 1 and 2 of Annex 9A	Row "general requiremen ts" of Table 1 of Annex 9A	Row "general requiremen ts" of Table 2 of Annex 9A	Gener al <sup>8</sup>	Gener al <sup>5</sup>	Yes	10%	Yes	7 January 2022 <sup>15</sup>	

"

Throughout the text and example approval marks, replace "06 series" or "06" with "07 series" or "07" as applicable

Annex 4, paragraph 9.3.2.1., amend to read:

"9.3.2.1. Introduction

Paragraphs 9.3.2.2. to 9.3.2.7. describe the measurement..."

Appendix 1 to Annex 12

Paragraphs A.1.2.1.2. and A.1.2.1.3., delete.

9