



Overview of in-use driving behaviour data from different regions

By Heinz Steven

30.08.2010

Data Sources



source	Country	vehcat	distance in km	remarks
DE, Berlin 2007	Germany	M1	869	floating vehicle, urban
DE, Aachen and region 1998	Germany	M1	6,174	11 vehicles, instructed drivers
Infras	Switzerland	M1	18,179	customer data, 26 M1, 4 N1
Infras	Switzerland	N1	732	vehicles
Vito	Belgium	M1	43,845	customer data, 11 M1 vehicles
Trafikverket	Sweden	M1	19,986	customer data, 5 M1, 2 N1
Trafikverket	Sweden	N1	18,219	vehicles
JRC	Germany	M1	23,411	customer data, 8 M1 vehicles
JRC	Italy	M1	57,121	customer data, 8 M1 vehicles
JRC	Slovenia	M1	48,893	customer data, 19 vehicles
PSA	France	M1	56,910	customer data, 9 M1, 1 N1
PSA	France	N1	7,455	vehicle(s)
PSA	France 2nd dataset	M1	63,320	customer data, 8 M1 vehicles
Japan	Japan	M1	24,291	11 M1, 13 N1 vehicles
Japan	Japan	N1	25,586	
Korea	Korea	M1	13,498	4 M1, 2 M2 and 2 N1 vehicles
Korea	Korea	M2	6,747	
Korea	Korea	N1	6,936	
	EU	M1	331,665	
	EU	N1	26,406	

Table 1

Comparison of vehicle speed distributions



- **Figure 1 shows the overall vehicle speed distributions for the different data sources. The speeds in Japan and Korea (and for some EU N1 vehicles) are significantly lower than the speeds for M1 vehicles in Europe.**
- **It is the other way round for the stop percentages.**
- **Figure 2 shows the speed distributions without the stops.**

Overall speed distributions




Figure 1

Overall speed distributions




Figure 2

Urban streets



- **Figure 3 shows the vehicle speed distributions for urban areas. Only that data was used where the road category is indicated. This was not the case for the Swedish data.**
- **For the JRC data the road category is only partly indicated. This might explain the low stop percentages.**
- **Figure 4 shows the distributions without the stops.**
- **The envelopes of the speed curves are formed by data from Germany (2007 the lower end, 1998 the higher end). The 2007 data is from an urban main street in Berlin, the 1998 data from Aachen and thoroughfares of villages in the Aachen region.**

Urban streets



- The differences can be explained by different traffic load conditions.
- The data from Japan and Korea is from agglomerations with high traffic loads, while the European data also contains conditions with lower traffic loads (e.g. M1 in Switzerland and Belgium).
- Interestingly enough, there seems to be no significant difference in the speed ranges for urban between the different regions.
- The differences between N1 and M1 are higher in Europe than in Japan or Korea with the tendency of lower speeds for N1 compared to M1. But this needs to be further investigated.

Speed distributions for urban areas




Figure 3

Speed distributions for urban areas




Figure 4

Rural roads



- **Figures 5 and 6 show the speed distributions for rural roads.**
- **The differences are much higher than for urban streets. The Japanese data has an extremely high stop percentage (30%) but no significant difference between M1 and N1.**
- **The Korean data and the Belgium data have stop percentages around 14%, the distributions for M1 are almost the same. Korean M2 and N1 data have lower percentages of high speeds.**

Rural roads



- The other European data have stop percentages below 5% and higher speeds up to 120 km/h compared to up to 100 km/h for Korea and up to 80 km/h for Japan.
- The highest speeds were found for the old German data from the Aachen region.
- The comparison between M1 and N1 has no uniform result. No difference for Japan, lower speeds for N1 for Korea and France, higher speeds for N1 for Switzerland.

Speed distributions for rural areas




Figure 5

Speed distributions for rural areas




Figure 6

Motorways



- The biggest differences between the regions (Europe, Korea, Japan) were found for motorways (Figures 7 and 8).
- The median values are 40 km/h for Japan, 60 km/h for Korea and between 100 km/h and 120 km/h for Europe.
- The 95% percentiles are around 90 km/h for Korea, 100 km/h for Japan and between 125 km/h and 145 km/h for Europe.
- Figure 9 shows the distributions for all road categories for France, Korea and Japan. The motorway curve for Korea has a higher percentage of low speeds than the rural curve (figure 10).

Speed distributions for motorways





Figure 7

Speed distributions for motorways



Comparison of speed distributions




Figure 9

Comparison of speed distributions




Figure 10

Comparison of RPA



- Basis of the RPA analysis are short trips with a minimum duration of 10 s.
- Figure 11 shows an overview of nearly all data except the second dataset from France. The differences between the regions are minor for M1 vehicles.
- Figure 12 shows the European data. The lowest dynamic is found for the Swedish M1 data, the highest for the Italian M1 and the old German data.
- Figures 13 to 15 show comparisons between M1 and N1 vehicles in Korea, Japan and Sweden. The differences for Japan and Korea are as expected, but the differences for Sweden need further investigation.
- Figure 16 shows the 2 French datasets.

Comparison of RPA




Figure 11

Comparison of RPA




Figure 12

Comparison of RPA




Figure 13

Comparison of RPA





Figure 14

Comparison of RPA



Comparison of RPA




Figure 16

Comparison of RPA



- The next series of figures show the average RPA values versus average speed of the short trips for the different vehicles tested in each region/country.
- The differences between individual drivers are higher than the differences between the regions/countries.

Average RPA, France, 1. dataset






Figure 17


Average RPA, Belgium



Average RPA, Switzerland



Average RPA, Sweden



Average RPA, Germany





Figure 21

Average RPA, Italy



Average RPA, Slovenia




Figure 23

Average RPA, Japan, M1





Figure 24

Average RPA, Japan, N1



Average RPA, Korea





Figure 26

Comparison of RPA



- **Figure 27 shows a comparison of the average values, figure 28 a comparison of the 95% percentiles for different regions/countries.**
- **Figure 28 is limited to M1 vehicles only. The French data is from the 2nd dataset.**
- **Figure 29 shows the comparison of M1 and N1 vehicles for Korea, Japan and Sweden.**

Average RPA, different regions



Average RPA, different regions




Figure 28

Average RPA, M1 vs N1




Figure 29

Analysis of first short trips of the day



- Since the WLTP cycle will be measured with a cold start, Sweden raised the question that the first short trip of the urban cycle part should be representative for the first short trip of the day of the in-use data.
- Therefore that part of the data that contained daytime information was analysed with respect to the first short trips per day. Short trips below 10 s duration were disregarded.
- The results are shown in Table 2. The first short trips show huge variances in all regions. The European data has the highest, the Korean data the lowest variance. The average and maximum speeds are lowest in Europe and highest in Korea.

Analysis of first short trips of the day



		duration in s				distance in m			
region	number of short trips	min	ave	max	Stddev / ave	min	ave	max	Stddev / ave
Europe	3738	10	161	14,100	273%	4	2,486	456,805	468%
Japan	1409	10	165	3,979	237%	5	2,876	107,903	304%
Korea	50	14	197	1,877	194%	52	3,421	43,577	250%
		average speed in km/h				maximum speed in km/h			
		min	ave	max	Stddev / ave	min	ave	max	Stddev / ave
Europe		1.2	22.7	117.7	86.0%	1.4	37.6	181.0	81.6%
Japan		1.6	30.6	115.5	71.8%	2.7	47.1	149.7	60.8%
Korea		13.3	41.7	84.1	35.7%	18.9	62.2	132.0	32.3%

Table 2

End of presentation



Thank you for your patience!